INDEX TO VOLUME 33

AUTHORS INDEX

ABBOTT, K. H. (See Craig and Abbott), 773*
ABRAMSON, D. I. (See Shumacker, Jr., and Abramson), 463*

ACEVES, SALVADOR, AND CARRAL, RAFAEL. The diagnosis of tricuspid valve disease, 114

Addari, F., de Carolis, D., Montevecchi, M., Foscarini, M., Curti, A., Sita, A., Altanta, G., Josonni, D., Rizzo, S., Tavoschi, F., Magoro, G., and Grandi, F. Clinical and experimental studies of sympathomimetic compounds (Sympatol, Veritol, Sympamina), 464*

WILLIAM. (See Winsor, Adolph, Ralston, and Leiby), 80 ADOLPH.

ALES, J. M. (See Jimenez-Diaz, Arjona, Ales, Grande, Lopez Garcia, and Oya), 294*
ALLEN, C. R. (See Slocum, Hoeflich, and Allen), 775*
ALLEN, E. V. The clinical use of anticoagulants, 771*
ALTANTA, G. (See Addari, de Carolis, Monte-

vecchi, Foscarini, Curti, Sita, Altanta, Josonni, Rizzo, Tavoschi, Magoro, and Grandi), 464*

ALTSCHUL, RUDOLF. Experimental cholesterol

arteriosclerosis, 147*
ALTSCHULE, M. D. (See Freedberg, McManus, and Altschule), 249

ALTURE-WERBER, E. (See Loewe and Alture-Werber), 291*
ALVAREZ MENA, S. The normal esophageal

electrocardiograms, 293*

ALZAMORA CASTRO, V. Observations on the significance of changes of the S-T segment and the T wave, 293*
Annitto, J. E. (See Chesley and Annitto), 918*

—. (See Chesley, Annitto, and Jarvis), 924*
Anrep, G. V., Barsoun, G. S., Kenawy, and
Misrahy, G. Ammi visnaga in the
treatment of the anginal syndrome, 758*

-, Kenawy, M. R., and Misrahy, G. Therapeutic uses of khellin, 613*

ARJONA, E. (See Jimenez-Diaz, Arjona, Ales, Grande, Lopez Garcia, and Oya), 294*

ASHMAN, RICHARD. (See Gouaux and Ashman), 366

ASHWORTH, H., AND JONES, A. M. Aneurysmal dilatation of the left auricle with erosion of the spine, 760*

AUERBACH, STEWART H., AND HARPER, HARRY T., JR. Congenital pulmonary stenosis with closed interventricular septum, 131

B

BAKER, L. A., AND MUSGRAVE, D. A study of mitral stenosis in patients who survived the age of fifty, 928*

(See McNamara, Baker, and Costich), 288

BARDEN, R. P. (See Pendergrass, Griffith, Jr., Padis, and Barden), 612*
BARKER, N. W. (See Parker and Barker), 923*
BARNETT, ROY N., AND ZIMMERMAN, S. L. Coronary arteritis with fatal thrombosis due to Salmonella choleraesuis

variety Kunzendorf, 441
BARSOUM, G. S. (See Anrep, Barsoum, Kenawy, and Misrahy), 613*

—. (See Anrep, Barsoum, Kenawy, and Misrahy), 758*

Misrahy), 758*
Bartholomew, R. A. The possible etiologic significance of thrombosis of a placental vein on the mechanism of pla-cental infarction and associated toxemia of pregnancy, 922*

BATT, R. C. A roentgenkymographic study of the heart in myasthenia gravis, 461*

BATTERMAN, ROBERT C., AND DEGRAFF, AR-THUR C. Comparative study on use of purified digitalis glycosides, digoxin, digitoxin, and lanatoside C, for the management of ambulatory patients with congestive heart failure, 663

BAUERSFELD, S. R. Dissecting aneurysm of the aorta, 928*
BEAN, W. B. (See Eichna, Horvath, and

Bean), 774*

BEARD, OWEN W., AND DECHERD, GEORGE M. JR. Variations in the first heart sound

in complete A-V block, 809

Bell, F. K., Carr, C. J., and Krantz, J. C.
Digitalis. V. The Baljet reaction and pharmacodynamics of diginin, 622*

BENAVIDES, P. H. (See Robles and Benavides), 931*

Berconsky, I. (See Cossio and Berconsky), 621*

BERDEZ, G. L. (See Cook, Smith, Giesen, and Berdez), 777*

BERRY, R. E. L. (See Coller, Campbell, Berry,

Sutler, Lyons, and Moe), 929* Sutler, Lyons, and Moe), 929* R. L. (See Lyons, Moe, Neligh, Hoobler, Campbell, Berry, and Ren-nick), 295* BERRY,

An asterisk (*) after a page number indicates the reference is an abstract and not an original article.

BING, R. J., VANDAM, L. D., AND GRAY, F. D., Jr. Physiological studies in congeni-tal heart disease. II. Results of pre-operative studies in patients with tetralogy of Fallot, 615*

BIORCK, G. Five cases with pre-excitation electrocardiograms, 146*

Biörck, G. (See Nylin and Biörck), 916* BIRCHALL, R., TAYLOR, R. D., LOWENSTEIN, V. E., AND PAGE, I. H. Clinical studies of the pharmacologic effects of tetraethyl ammonium chloride in hypertensive persons made in an attempt to select patients suitable for lumbodorsal sympathectomy and gan-glionectomy, 771* Візнор, L. F. (See Weintraub and Bishop),

925*

BISHOP, LOUIS F., JR. (See Weintraub and Bishop, Jr.), 284 BLAND, E. F. (See Castleman and Bland),

BLAND, E. F. 148*

BLONDHEIM, SOLOMON HILLEL. The technique of fetal electrocardiography, 35

BLOOMFIELD, R. A., LAUSON, H. D., COUR-NAND, A., BREED, E. S., AND RICH-ARDS, D. W., JR. Recording of right heart pressures in normal subjects and in patients with chronic pulmonary disease and various types of cardio circulatory disease, 776*

BLUMBERG, N., AND SCHLOSS, E. M. The effect of circulatory factors on the brom-sulphalein test in liver disease, 622*

BOHNE, W. (See Ratliff, Nesbit, Plumb, and Bohne), 456

BOONE, B. R., CHAMBERLAIN, W. EDWARD, GILLICK, F. G., HENNY, G. C., AND OPPENHEIMER, M. J. Interpreting the electrokymogram of heart and great vessel motion, 560

BOYLE, MARGARET N., WÉGRIA, RENÉ, CATH-CART, RICHARD T., NICKERSON, JOHN L., AND LEVY, ROBERT L. Effects of intravenous injection of nicotine on the circulation, 65

Brams, W. (See Grossman, Feldman, Katz, and Brams), 592

Brannon, E. S. (See Nickerson, Warren, and Brannon), 619*

BRAUN, K., ROTH, I., AND SUESSKIND, S. Intraventricular block in malnutrition and vitamin B deficiency, 297*

BREDA, R., AND COSTA, F. Right-sided ectatic aorta, 761*

Breed, E. S. (See Bloomfield, Lauson, Cournand, Breed, and Richards, Jr.), 776*

BREITWIESER, E. R. Electrocardiographic observations in chronic cholecystitis before and after surgery, 771

Brenes, M. (See Salazar Mellen, Lozano Lube, and Brenes), 767*

BRICK, IRVING B., AND GREENFIELD, MAURICE. Reticulum cell sarcoma with cardiac metastasis, 599

Bridges, W. C. (See Wheeler, Bridges, and White), 149*

BROCH, O. The electrocardiogram in derangements of the organism's water and electrolyte metabolism, 146*

Brodie, O. J. (See Walton and Brodie), 773* Brown, A. B. (See Mylks, Brown, and Robinson), 768*

Brown, Chester R. (See Greisman, Brown, and Smetana), 447

Brown, Edward E. Diseases associated with low capillary resistance, 241

Brown, Ellen, Sampson, John J., Wheeler, EDWIN O., GUNDELFINGER, BEN-JAMIN F., AND GIANSIRACUSA, JOSEPH E. Physiologic changes in the circulation during and after obstetric labor, 311

Brown, N. Worth. (See Means and Brown), 262

BRUNER, H. D., AND SCHMIDT, CARL F. Blood flow in the bronchial artery of the

anesthetized dog, 919*
BRYANT, J. MARION, AND WOOD, J. EDWIN, JR.
Tobacco angina, 20

BUNTING, H. (See Seldin, Kaplan, and Bunting), 462*

BURCHELL, HOWARD B., AND CLAGGETT, O. THERON. The clinical syndrome associated with pulmonary arteriovenous fistulas including a case report of a surgical cure, 151

Burke, P. J. Penicillin prophylaxis in acute rheumatism, 297*

Bushong, B. B. Traumatic rupture of the aortic valve, 145*

BUTT, H. R. (See Dry, Butt, and Scheifley), 301*

CAMERON, D. E. Increased reactivity caused

by adrenalin, 295*

Campbell, K. N. (See Coller, Campbell,
Berry, Sutler, Lyons, and Moe), 929*

—. (See Lyons, Moe, Neligh, Hoobler,
Campbell, Berry, and Rennick), 295*

Campbell, M. Dissecting aneurysm with survival for three months after rupture into the pleura, 759*

CARLGREN, L. E. Gallop rhythm in children studied by means of calibrated phono-

cardiography, 465*
CARLOTTI, JACQUES, COHEN, MANDEL E., AND
WHITE, PAUL D. The heart size in neurocirculatory asthenia, effort syndrome, or anxiety neurosis, 552

DE CAROLIS, D. (See Addari, Montevecchi, Foscarini, Curti, Sita, Altanta, Jo-sonni, Rizzo, Tavoschi, Magoro, and Grandi), 464*

CARR, C. J. (See Bell, Carr, and Krantz), 622* CARRAL, RAFAEL. (See Aceves and Carral), 114 CARROLL, DOUGLAS, AND CUMMINS, SAMUEL D. Double rupture of the heart following myocardial infarction, 894

CASE, D. (See Erganian, Forbes, and Case), 297*

Casman, J. Radiographic demonstration of the increase in heart volume after ingestion of a liter of water, 921*

CASTELLANOS, A., PEREZ DE LOS REYES, R., AND GARCIA LOPEZ, A. Angiocardiography - comparative study with autopsy findings, 621*

CASTLEMAN, B., AND BLAND, E. F. Organized emboli of the tertiary pulmonary ar-

teries, 148*

Castro, V. A., and Rubio, Carlos W. Sig-nificado de algundas akteraciones de las ondas T, 764*
CATHCART, RICHARD T. (See Boyle, Wégria,

Cathcart, Nickerson, and Levy), 65 CHAMBERLAIN, W. EDWARD. (See Boone,

Chamberlain, Gillick, Henny, and Oppenheimer), 560
Rs, W. N. Blood pressure studies in

CHAMBERS.

CHAMBERS, W. N. Blood pressure studies in
100 cases of coronary occlusion with
myocardial infarction, 298*
CHAPMAN, WILLIAM P. (See White, Cohen,
and Chapman), 390
CHESLEY, L. C., AND ANNITTO, J. E. Pregnancy in the patient with hypertensive disease, 918*

-, AND JARVIS, D. G. A study of the inter-action of pregnancy and hyper-tensive disease, 924*

Снют, Н. (See Taquini, Fasciolo, Suarez, and Chiodi), 50

CHRISTENSEN, B. C. Studies on hyperventilation. II. Electrocardiographic changes in normal man during voluntary hyperventilation, 760*

Clagett), 151

—. (See Deterling, Jr., and Clagett), 471 CLARK, J. H., NELSON, W., LYONS, C., MAYERSON, H. S., AND DE CAMP, P. Chronic shock: the problem of reduced blood volume in the chronically ill patient. 926*

CLARK, T. E. (See Kissane, Fidler, and Clark), 622*

WANDEL E. (See Carlotti, Cohen, and White), 552 COHEN, MANDEL E.

(See White, Cohen, and Chapman), 390 COLLER, F. A., CAMPBELL, K. N., BERRY, R. E. L., SUTLER, M. R., LYONS, R. H., AND MOE, G. K. Tetra-ethyl-ammonium as an adjunct in the treatment of peripheral vascular disease, and other painful states, 929*

Collins, C. G., Nelson, E. W., Jones, J. R., Weinstein, B. B., and Thomas, E. P. Ligation of the vena cava, 456*
Collins, V. J., Foster, W. L., and West, W. J.

Vasomotor disturbances in poliomyelitis with special reference to treatment with paravertebral sympathetic block, 770*

COOK, C. D., SMITH, H. L., GIESEN, C. W., AND BERDEZ, G. L. Xanthoma tuberosum, aortic stenosis, coronary sclerosis, and angina pectoris, 777*

COPLEY, A. L., AND STEFKO, P. L. Coagulation thrombi in segments of artery and vein in dogs and the genesis of throm-boembolism, 769*

CORCORAN, A. C. (See Taylor, Corcoran, and Page), 468*

Cossio, P., and Berconsky, I. Acute benign pericarditis, 621* Costa, F. (See Breda and Costa), 761*

COSTICH, KENNETH. (See McNamara, Baker, and Costich), 288

COURNAND, A., HIMMELSTEIN, A., RILEY, R. L., AND LESTER, C. W. A follow-up study of the cardiopulmonary function in four young individuals after pneu-

monectomy, 616*

—. (See Bloomfield, Lauson, Cournand, Breed, and Richards, Jr.), 776*

CRAFOORD, C. (See Welin, Hamberger, and Crafoord), 463*

CRAIG, W. M., AND ABBOTT, K. H. Surgical considerations in the treatment of hypertension, 773*

CRAWFORD, J. HAMILTON, AND DI GREGORIO, N. J. Complete heart block in younger age groups, 540

CUMMINS, SAMUEL D. (See Carroll and Cum-

mins), 894

Curti, A. (See Addari, de Carolis, Montevecchi, Foscarini, Curti, Sita, Altanta, Josonni, Rizzo, Tavoschi, Magoro, and Grandi), 464*

D

DACK, S., AND MOLOSHOK, R. Cardiac manifestations of toxic action of emetine hydrochloride in amebic dysentery, 291*

DAHL-IVERSON, E. (See Espersen and Dahl-Iverson), 913*

Davis, E. Mitral stenosis and pulmonary tuberculosis, 773*

DAVIS, L., AND PERRET, G. Cerebral thromboangiitis obliterans, 763*

Davis, M. E., and Wortmann, R. F. Sub-acute bacterial endocarditis during

Dawes, G. S. L. Studies on veratrum alkaloids. VII. Receptor areas in the coronary arteries and elsewhere as revealed by the use of veratridine,

DE CAMP, P. (See Clark, Nelson, Lyons, Mayerson, and De Camp), 926*
DECHERD, G. M. (See Ruskin and Decherd), 296*

DECHERD, GEORGE M., JR. (See Beard and

Decherd, Jr.), 809 DeEps, F. (See Wilson, Mortarotti, and De-Eds), 932*

DeGraff, Arthur C. DeGraff), 663 (See Batterman and

DEKAMAS, D. (See Proger and Dekamas), 143* DELAUNOIS, A. L. (See Heymans and De-launois), 618* DESCHAMPS, P. N. A case of prolonged flutter,

458*

DETERLING, RALPH A., JR., AND CLAGETT, O. THERON. Aneurysm of the pulmonary artery: review of the literature and report of a case, 471

Di Gregorio, N. J. (See Crawford and Di Gregorio), 540

DIPALMA, J. R. (See Gubner, DiPalma, and Moore), 298*

DIIN-YUAN Guo. Dissecting aneurysm of the

aorta related to trauma, 916*
Dowling, H. F. (See Hirsch, Rotman-Kavka,

Dowling, and Swee), 622*
Downing, M. E. Blood pressure of normal girls from three to sixteen years of

age, 777*
DRAKE, E. H. (See Teplich and Drake), 459* DRESSLER, WILLIAM, AND ROESLER, HUGO. High T waves in the earliest stage of myocardial infarction, 627

(See Roesler and Dressler), 817

DREYFUSS, F. An observation concerning the hands of patients with rheumatic fever, 762*

DRISCOLL, R. E. (See Stein and Driscoll), 926* DRY, T. J., BUTT, H. R., AND SCHEIFLEY, C. H. The effect of oral administration of para-aminobenzoic acid on the con-centration of salicylates in the blood, 301

-, Edwards, J. E., Maynard, A. E., Moe, A. E., and Vigran, I. M. Mycotic aneurysm of the posterior tibial artery complicating subacute bacterial endocarditis: antemortem diagnosis is confirmed by instrumental means, 764*

DUFFAU, G., AND SEPULVEDA, M. Rheumatic nodules in children, 294*

DUMKE, PAUL R. (See Wexler, Whittenberger, and Dumke), 163

DUNGAL, NIELS. Cardioaortitis, 457*

ECKENHOFF, J. E., HAFKENSCHIEL, J. H., AND

LANDMESSER, C. M. The coronary circulation in the dog, 919*
ECKSTEIN, R. W., WIGGERS, C. J., AND GRAHAM, G. R. Phasic changes in inferior cava flow of intravascular origin, 920*

EDEIKEN, JOSEPH. (See Steiger and Edeiken),

EDWARDS, J. E. (See Dry, Edwards, Maynard, Moe, and Vigran), 764

EIBER, DONALD. (See Feil, Green, and Eiber), 334

EIBER, HAROLD B. (See Loewe and Eiber), 349 EICHNA, L. W., HORVATH, S. M., AND BEAN, W. B. Post-exertional orthostatic hypotension, 774*

ELKELES, A. Disseminated ossified nodules in the lungs associated with mitral stenosis, 774*

ELMQUIST, A., AND LILJESTRAND, A. On the chemical evaluation of digitalis with the Baljet reaction, 914*

EPSTEIN, B. S. Rheumatic mitral valve disease without cardiac enlargement, 617*

EPSTEIN, SAMUEL. Observations on beriberi heart disease, 432

ERGANIAN, J. A., FORBES, G., AND CASE, D. Salicylate intoxication in the infant and young child, 297*

ESPERSEN, T., AND DAHL-IVERSEN, E. clinical picture and treatment of pheochromocytomas of the suprarenal, 913*

-, AND JORGENSEN, J. Electrocardiographic changes in paroxysmal hypertension due to chromaffin adrenal tumor, 916*

FASCIOLO, J. C. (See Taquini, Fasciolo, Suarez, and Chiodi), 50

FASTIER, F. N., AND SMIRK, F. H. Circulatory

properties of iso-thioureas, guanidines, iso-ureas, and amidines, 613*

FEIL, HAROLD, GREEN, HAROLD D., AND EIBER, DONALD. Voluntary acceleration of heart in a subject showing the Wolff-Parkinson-White syndrome, 334

(See Weisberger and Feil), 871 FELDMAN, D. (See Grossman, Feldman, Katz, and Brams), 592

FIDLER, R. S. (See Kissane, Fidler, and Clark), 622*

FLEMING, ALLAN J. (See Foulger, Smith, Jr., and Fleming), 507

FLETCHER, D. E. Bacillus coli endocarditis, 743

Forbes, G. (See Erganian, Forbes, and Case), 297*

FOREMAN, ROBERT C. (See Opdyke and Foreman), 920*

Foscarini, M. (See Addari, de Carolis, Monte-vecchi, Foscarini, Curti, Sita, Altanta, Josonni, Rizzo, Tavoschi, Ma-

goro, and Grandi), 464*
FOSTER, W. L. (See Collins, Foster, and West), 770*

FOULGER, JOHN H., SMITH, PAUL E., JR., AND FLEMING, ALLAN J. Changes in cardiac vibrational intensity in response to physiologic stress, 507

FREEDBERG, A. S., McManus, M. J., and Altschule, M. D. The electro-cardiogram in man during an episode of chill and fever induced by intra

venous typhoid vaccine, 249
FREEMAN, N. E. Direct measurement of blood pressure within arterial aneurysms and arteriovenous fistulas, 927*

(See Hodges and Freeman), 300* FRIEDLAND, C., AND SODI PALLARES, D. On the significance of an M-shaped complex in the precordial Leads V1 and V2, 930*

FRIEDMAN, N. B., LANGE, K., AND WEINER, D. The pathology of experimental frostbite, 299*

GARCIA LOPEZ, A. (See Castellanos, Perez De Los Reyes, and Garcia Lopez), 621*

RAMOS, J., AND ROSENBLUETH, S. Studies on flutter and fibrillation. GARCIA III. The self-sustained activity in the isolated auricular muscle of mamma-

GATCH, lains, 930* W. D. (Son Gatch), 144 (See Muntz, Ritchie, and GENDEL, BENJAMIN R. Paroxysmal auricular tachycardia of unusual type, 722 GEREMIA, A. E. (See Levine and Geremia), 623*

GERTLER, M. M., AND YOHALEM, S. B. The effect of atabrine on auricular fibrillation and supraventricular tachycardia in man, 302

—. (See Terroux, Gertler, and Hoff), 461* GHORMELY, R. K. (See Hinchey, Hines, and Ghormely), 932*

GIANSIRACUSA, JOSEPH E. (See Brown, Sampson, Wheeler, Gundelfinger, and Giansiracusa), 311

GIBSON, W. C. (See Kelly, Gibson, and Meakins), 923*

GIESEN, C. W. (See Cook, Smith, Giesen, and Berdez), 777*

GILLICK, F. G. (See Boone, Chamberlain, Gillick, Henny, and Oppenheimer), 560

Groppayor, G. (See Puddy, Mysself, and GIORDANO, G. (See Puddu, Mussafia, and

Giordano), 460* GLAUBER, JEROME J. (See Young and Glau-

ber), 272
Gobat, P. Y. Variations of the amount of cytochrome-C in the myocardium and in the striated muscle in human pathology, 917*

Goldberger, Emanuel. The relations of T_1 and T_2 , 395

GORE, IRA, AND SAPHIR, OTTO. Myocarditis, 827

Myocarditis associated with acute nasopharyngitis and acute tonsillitis, 831

GOUAUX, JAMES L., AND ASHMAN, RICHARD. Auricular fibrillation with aberration simulating ventricular paroxysmal tachycardia, 366

GOVEA, J. Ayerza's disease, 621*

GOVIER, W. M., YANZ, N., AND GRELIS, M. E. The effect of a-tocopherol phosphate, digitoxin, and certain compounds related to the latter on cardiac muscle metabolism in vitro, 761*

GRAHAM, G. R. (See Eckstein, Wiggers, and Graham), 920*

GRANDE, F. (See Jimenez-Diaz, Arjona, Ales, Grande, Lopez Garcia, and Oya), 294*

GRANDI, F. (See Addari, de Carolis, Montevecchi, Foscarini, Curti, Sita, Altanta, Josonni, Rizzo, Tavoschi, Magoro, and Grandi), 464*

GRAY, F. D., JR. (See Bing, Vandam, and Gray, Jr.), 615*

GRAYSON, CHARLES E. (See Windholz and Grayson), 180

GREEN, HAROLD D. (See Feil, Green, and Eiber), 334

GREENFIELD, MAURICE. (See Brick and Greenfield), 599

GREGERSEN, MANGUS I., AND ROOT, WALTER Experimental traumatic shock produced by muscle contusion with a note on the effects of bullet wounds, 465* GREISMAN, HARRY, BROWN, CHESTER R., AND SMETANA, HANS. Massive hydropericardium with compression and angulation of the inferior vena cava, 447

GRELIS, M. E. (See Govier, Yanz, and Grelis), 761*

GRIFFITH, J. Q., JR. (See Pendergrass, Griffith, Jr., Padis, and Barden), 612*
GROSSMAN, M., FELDMAN, D., KATZ, L. N.,
AND BRAMS, W. Treatment of subacute bacterial endocarditis due to organisms highly resistant to penicillin, 592

(See Hoyne and Grown), 616* Grown, R. H. GUBNER, R., DIPALMA, J. R., AND MOORE, E. Specific dynamic action as a means of augmenting peripheral blood flow; use

of aminoacetic acid, 298*
GUNDELFINGER, BENJAMIN, F. (See Brown, Sampson, Wheeler, Gundelfinger, and

Giansiracusa), 311
GURVICH, N. L., AND YUNIEV, G. S. Restoration of heart rhythm during fibrillation by a condenser discharge, 459*

schiel, and Landmesser), 919*
HALL, V. E. (See Kipple, Waldman, and Hall), 769*

HAMBERGER, C. (See Welin, Hamberger,

and Crafoord), 463*
HANDLEY, C. A., AND TELFORD, J. The effect
of digitalis on the fluid distribution of

HARPER, HARRY T., JR. (See Auerbach and Harper, Jr.), 131
HARRIS, T. N. The failure of massive salicy-

late therapy to suppress the inflammatory reaction in rheumatic fever, 778*

Hellerstein, H. K. Endocardial pockets of left atrium, 751 Henny, G. C. (See Boone, Chamberlain, Gil-lick, Henny, and Oppenheimer), 560 Henson, M. (See King and Henson), 300*

HERRMANN, GEORGE R., AND SCHOFIELD, NOR-MAN D. The syndrome of rupture of aortic root or sinus of Valsalva aneurysm into the right atrium, 87

HEYMANS, C., AND DELAUNOIS, A. L. The influence of arterial work and pressure on the activity of the cardiovascular and respiratory centers, 618*

-, PANNIER, R., AND VANOSTENDE, A. The influence of pulmonary hyperventilation on the vasomotor reflexes of the carotid sinus and on the tonus of the vasomotor center, 618*

AND VERBEKE, R. The influence of the anticholine:terases, prostigmine, eserine and di-isopropylfluorophosphate, and of atropine on the central and peripheral transmission of nervous excitation, 617

HIMMELSTEIN, A. (See Cournand, Himmelstein, Riley, and Lester), 616*

HINCHEY, J. J., HINES, E. A., AND GHORMELY, R. K. Osteoporosis occurring during potassium thiocyanate therapy for hypertensive disease, 932*
E. A. (See Hinchey, Hines, and Ghormely), 932*

HIRATZKA, TOMIHARU. (See Myers, Klein, Stofer, and Hiratzka), 785
HIRSCH, H. L., ROTMAN-KAVKA, G., DOWLING, H. F., AND SWEE, L. K. Penicillin therapy of scarlet fever, 622* Hodges, H. H., and Freeman, N. E. Throm-

bophlebitis on the medical service of a General Hospital, 300*

HOEFLICH, E. A. (See Slocum, Hoeflich, and Allen), 775*
HOFF, H. E. (See Terroux, Gertler, and Hoff), 461*

HOLMAN, DELAVAN V., AND PIERCE, MILA. Nongangrenous frostbite of the feet, 100

HOLOUBEK, ALICE BAKER. (See Holoubek and Holoubek), 709

(See Holoubek and Holoubek), 715 HOLOUBEK, JOE E., AND HOLOUBEK, ALICE BAKER. Heart disease in the South. II. A statistical survey of one hundred seventeen deaths due to rheumatic heart disease, 709

Heart disease in the South.

III. An analysis of two hundred seventeen deaths due to arterioscle-. AND rotic heart disease, 715

Honigman, A. H., and Karns, J. R. Healed subacute bacterial endocarditis: report of two cases with death due to

congestive heart failure, 925*
Hoobler, S. W. (See Lyons, Moe, Neligh,
Hoobler, Campbell, Berry, and Ren-HORVATH, S. M. (See Eichna, Horvath, and Bean), 774*

HOYNE, A. L., AND GROWN, R. H. Penicillin

for scarlet fever, 616*
HUFNAGEL, C. A. Permanent intubation of the thoracic aorta, 768*

HUMPHREYS, R. J. (See Raab and Humphreys), 763* HUNTER, W. C. (See Young and Hunter), 466*

IRWIN, C. W. (See Solomon and Irwin), 144*

JARVIS, D. G. (See Chesley, Annitto, and Jarvis), 924*

JIMENEZ-DIAZ, C., ARJONA, E., ALES, J. M., GRANDE, F., LOPEZ GARCIA, E., AND OYA, J. C. The influence of altera-tions of bloodflow through the lesser circulation upon volume and elasticity

of the lungs, 294*

Johnson, A. L., Wollin, D. G., and Ross,
J. B. Heart catheterization in the investigation of congenital heart disease, 457*

JOKL, E., AND MELZER, L. Rheumatic fever following athletic trauma, 762*

JONES, A. B. Peripheral venous thrombosis: preventive measures and treatment, 766*

JONES, A. M. (See Ashworth and Jones),760* JONES, J. R. (See Collins, Nelson, Jones, Weinstein, and Thomas), 456*
JOSONNI, D. (See Addari, de Carolis, Monte-

vecchi, Foscarini, Curti, Sita, Altanta, Josonni, Rizzo, Tavoschi, Magoro, and Grandi), 464*

KADISH, ARNOLD H. Coagulation of the blood in lusteroid tubes: a study of normal persons and patients with arterial or venous thrombosis, 212

Coagulation time of the blood in lusteroid tubes: a study of patients receiving dicumarol, 225

KAMINS, MAURICE. (See Uyeyama, Kondo, and Kamins), 580

KAPLAN, H. S. (See Seldin, Kaplan, and Bunting), 462*
KARNS, J. R. (See Honigman and Karns), 925*
KATZ, L. N. (See Grossman, Feldman, Katz, and Brams), 592

(See Mack, Langendorf, and Katz), 374 (See Wilburne, Surtshin, Rodbard, and Katz), 860

KELLY, H. G., GIBSON, W. C., AND MEAKINS, J. F. Cerebral air embolism following artificial pneumothorax treatment with prolonged inhalation of oxygen, 923*

KENAWY. (See Anrep, Barsoum, Kenawy, and Misrahy), 758*

KENAWY, M. R. (See Anrep, Barsoum, Kenawy, and Misrahy), 613*
KENDALL, F. E. (See Steiner and Kendall), 296*

KENNEDY, B. J., AND SEED, JOHN. The treat-ment of subacute bacterial endocarditis with penicillin in beeswax-peanut oil: gluteal abscesses and rupture of the spleen, 906

KING, B. G., AND HENSON, M. Electrocardiographic changes in fulminating anoxia, 300*

KIPPLE, H. M., WALDMAN, M. S., AND HALL, V. E. Cardiovascular effects of sodium caprylate in the cat, 769*

KIRK, G. D. Ligation of inferior vena cava for septic thrombophlebitis, 772*
KISSANE, R. W., FIDLER, R. S., AND CLARK,
T. E. Liver dysfunction in rheumatic

heart disease, 622* KLEIN, HOWARD A. (See Myers, Klein, Stofer,

and Hiratzka), 785

KLEMME, R. M. (See Saccomanno, Utgterback, and Klemme), 624*
BENJAMIN. (See Uyeyama, Kondo,

Kondo, Benjamin. (See and Kamins), 580

Kossberger, J. Rheumatic pneumonia, 303* Kossmann, C. E. Relative importance of certain variables in the clinical determination of blood pressure, 292*

KOTTKE, F. J., KUBICEK, W. G., AND LAKER, D. J. Physical and nervous factors in experimental hypertension, 302*

KRANTZ, J. C. (See Bell, Carr, and Krantz), 622*

KRIEGER, V. I., AND WEIDEN, S. The value of the cold pressor test in the prediction of hypertension and toxemia in preg-

KRONTIRIS, A. Experiences with sympathectomy for sequelae of trench feet, 767*
KUBICEK, W. G. (See Kottke, Kubicek, and Laker), 302*

L

LAKER, D. J. (See Kottke, Kubicek, and Laker), 302*

LANDIS, E. M. (See Sobin and Landis), 918* LANDMESSER, C. M. (See Eckenhoff, Hafken-schiel, and Landmesser), 919*

LANGE, K. (See Friedman, Lange, and Weiner), 299*

LANGENDORF, R., AND MEHLMAN, J. S. Blocked (nonconducted) A-V nodal premature systoles imitating first and second degree A-V block, 500

—. (See Mack, Langendorf, and Katz), 374 LAUSON, H. D. (See Bloomfield, Lauson, Cournand, Breed, and Richards, Jr.), 776* (See Winsor, Adolph, LEIBY, GEORGE M.

Ralston, and Leiby), 80
LESTER, C. W. (See Cournand, Himmelstein,

Riley, and Lester), 616* LEVINE, S. A., AND GEREMIA, A. E. Clinical features of patent ductus arteriosus with special reference to cardiac murmurs, 623*

LEVY, ROBERT L. (See Boyle, Wégria, Cath-cart, Nickerson, and Levy), 65

LIAN, C., AND MINOT, G. Radio-electrokymography, 758*

-, AND MANTOUX, G. Syncope and bundle branch block, 914*

LIBBRECHT, L. A special form of essential hypertension with paradoxical pharmacodynamic reactions, 917*

LILJESTRAND, A. (See Elmquist and Liljestrand), 914* LINDGREN, A. Cutaneous precordial anaesthesia in angina pectoris and coronary occlusion (an experimental study),

N, E. The roentgen diagnosis of arteriovenous aneurysm of the lung, LINDGREN, E. 145*

LINDGREN, I. High oxygen concentration under normal and increased respiratory pressure in cardiac pain and in pul-monary edema, 460*

LIVEZEY, MARY M. (See Wolferth and Live-

LOEWE, L., AND ALTURE-WERBER, E. clinical manifestations of subacute bacterial endocarditis caused by Streptococcus s.b.e., 291*

LOEWE, LEO, AND EIBER, HAROLD B. Subacute bacterial endocarditis of undetermined

etiology, 349

LOPEZ, GARCIA E. (See Jimenez-Diaz, Arjona, Ales, Grande, Lopez Garcia, and Oya), LOUBE, SAMUEL DENNIS. (See Roberts and Loube), 188

LOWENSTEIN, V. E. (See Birchall, Taylor, Lowenstein, and Page), 771* Lozano Lube, E. (See Salazar Mellen, Lozano

Lube, and Brenes), 767*
LUPTON, A. M. The effect of perfusion through

the isolated liver on the prothrombin

the isolated liver on the prothrombin activity of blood from normal and dicumarol treated rats, 768*

Lyons, C. (See Clark, Nelson, Lyons, Mayerson, and De Camp), 926*

Lyons, R. H., Moe, G. K., Neligh, R. B., Hoobler, S. W., Campbell, K. N., Berry, R. L., and Rennick, B. R.

The effects of blockade of the autonomic ganglia in man with tetraethynomic ganglia in man with tetraethylammonium. Preliminary observations on its clinical application, 295*

(See Coller, Campbell, Berry, Sutler, Lyons, and Moe), 929*

M

McCabe, Edward S. Spontaneous interstitial emphysema of the lung simulating organic heart disease, 729

McGee, Charles J. (See Priest, Smith and McGee), 765*

Macht, D. I. Thromboplastic properties of digitaloids and mercurial diuretics employed in cardiology, 458*

MACK, I., LANGENDORF, R., AND KATZ, L. N The supernormal phase of recovery of conduction in the human heart, 374

McKinley, W. Frank. (See Ruskin and Mc-Kinley), 691

(See Schlichter and Mac-MACLEAN, HELEN.

MacLean, 1209
Lean), 209
McManus, M. J. (See Freedberg, McManus, and Altschule), 249
MacMillan, R. L. Adrenal apoplexy asso-

ciated with hypertension, 458*

McNamara, W. L., Baker, L. A., and Cos-TICH, KENNETH. Asymptomatic congenital anomaly of the heart: congenital muscular cord bridging walls of auricle above center of mitral valve, 288

Magoro, G. (See Addari, de Carolis, Montevecchi, Foscarini, Curti, Sita, Altanta, Josonni, Rizzo, Tavoschi, Magoro, and Grandi), 464*

Magro, G. Intraventricular conduction on exercise: a cardiac function test, 465*

MAHONEY, E. B. (See Morton, Mahoney, and Mider), 773*

MANTOUX, G. (See Lian and Mantoux), 914*

MARCHAL, M. The registration of pulsations of the lung parenchyma and the cardiovascular system by Kine-densigraphy, 758*

MARCUSE, PETER M. Nonspecific myocarditis,

MARSHALL, F. A. Tetany following mercurial diuresis, 921*

MARTIN, HELEN EASTMAN, AND WERTMAN, MAXINE. Electrolyte changes and Electrolyte changes and the electrocardiogram in diabetic acidosis, 646

MAUER, EDGAR, F. On the etiology of clubbing of the fingers, 852

MAYERSON, H. S. (See Clark, Nelson, Lyons, Mayerson, and De Camp), 926*

MAYNARD, A. E. (See Dry, Edwards, Maynard,

Moe, and Vigran), 764*
MAYOCK, R. L., AND ROSE, E. Insensitivity to epinephrine in a patient with a func-tioning tumor of the adrenal medulla, 295*

MEAKINS, J. F. (See Meakins), 923* (See Kelly, Gibson, and

MEANS, MYRON G., AND BROWN, N. WORTH. Secondary hypertrophic osteoarthropathy in congenital heart disease, 262

MECCHERI, L. A. On the pathological variations of venous pressure, 913*
MEHLMAN, J. S. (See Langendorf and Mehl-

man), 500

MELZER, L. (See Jokl and Melzer), 762* MENDEZ, R. General concept of digitalis action, 764*

MERCHANTE IGLESIAS, A. (See Oritz de Landazuri, Perianes Carro, and Merchante Iglesias), 294*

MEYER, O. The ambulatory treatment of phlebitis, thrombophlebitis, and thrombosis with compression bandages, 932*

MEYER, O. O. (See Thill and Meyer), 300* MIDDLETON, HARVEY N. Electrocardiographic studies of gunshot and stab wounds

of the heart, 899
G. B. (See Morton, Mahoney, and Mider), 773*
P. J. W. Hypertensive headache

P. J. MILLS. treated with potassium thiocyanate, 614*

MINOT, G. (See Lian and Minot), 758*
MISRAHY, G. (See Anrep, Barsoum, Kenawy, and Misrahy), 613*
—. (See Anrep, Barsoum, Kenawy, and Misrahy), 758*
MOE, A. E. (See Dry, Edwards, Maynard, Moe, and Vigran), 764*
MOF G. K. (See Coller, Campbell, Berry, Sut-

Moe, G. K. (See Coller, Campbell, Berry, Sutler, Lyons, and Moe), 929*

—. (See Lyons, Moe, Neligh, Hoobler, Campbell, Berry, and Rennick), 295*

Moloshok, R. (See Dack and Moloshok), 291*

Montevecchi, M. (See Addari, de Carolis, Montevecchi, Foscarini, Curti, Sita, Altanta, Josonni, Rizzo, Tavoschi, Magoro, and Grandi), 464*

E. (See Gubner, DiPalma, and Moore), 298*

FERRALL H., AND SCHOFF, CHARLES. Paroxysmal diaphragmatic flutter with symptoms suggesting coronary thrombosis, 889

Mortarotti, T. G. (See Wilson, Mortarotti, and DeEds), 932*

MORTON, J. J., MAHONEY, E. B., AND MIDER, G. B. An evaluation of pulmonary embolism following intravascular venous thrombosis, 773*

MUGICA ECHARTE, J. The functional state of the vascular system in pulmonary tuberculosis. V. The lungs as blood depots, 294*

Muntz, H. H., Ritchie, J. O., and Gatch, W. D. Adrenalin producing tumor (pheochromocytoma) containing 2,300

milligrams of adrenalin, 144*
Musgrave, D. (See Baker and Musgrave), 928*

Mussafia, A. (See Puddu, Mussafia, and

Giordano), 460*
Gordon B., Klein, Howard A.,
Stofer, Bert E., and Hiratzka, Myers, TOMIHARU. Normal variations in multiple precordial leads, 785

Mylks, G. W., Brown, A. B., and Robinson, C. N. Air embolism during labor, 768*

Necholes, H. (See Olson and Necholes), 766* Neligh, R. B. (See Lyons, Moe, Neligh, Hoobler, Campbell, Berry, and Ren-

nick), 295*
NELSON, E. W. (See Collins, Nelson, Jones, Weinstein, and Thomas), 456*

Nelson, W. (See Clark, Nelson, Mayerson, and De Camp), 926*

NESBIT, R. M. (See Ratliff, Nesbit, Plumb,

and Bohne), 456*
NICKERSON, J. L., WARREN, J. V., AND BRANNON, E. S. The cardiac output in man: studies with the low frequency, critically damped ballistocardiograph, and the method of right atrial cathet-

erization, 619* Nickerson, John L. (See Boyle, Wégria, Cathcart, Nickerson, and Levy), 65

NISSIM, J. A. Dissecting aneurysm of the aorta: a new sign, 760*

NORMAN, JAMES K. Reactions to decholin in circulation time determination, 740

NYLIN, G., AND BIÖRCK, G. Circulatory corpuscle and blood volume in a case of patent ductus arteriosus before and after ligation, 916*

NYLIN, GUSTAV. Circulatory blood volume of some organs, 174

Odell, L. D. Renal filtration rates in pregnancy toxemia; inulin and exogenous creatinine, 775*

DE OLIVEIRA, H. R. (See Poppe and de Oliveira), 620*

OLSON, W. H., AND NECHOLES, H. Studies on anuria: effect of infusion fluids and diuretics on the anuria resulting from severe burns, 766*

OPDYKE, DAVID F., AND FOREMAN, ROBERT C. A study of coronary flow under conditions of hemorrhagic hypotension and

shock, 920*
Oppenheimer, M. J. (See Boone, Chamberlain, Gillick, Henny, and Oppenheimer), 560

ORITZ DE LANDAZURI, E., PERIANES CARRO, J., AND MERCHANTE IGLESIAS, A. Treatment of subacute bacterial endocarditis with penicillin, 294*

ORTIZ RAMIREZ, T. Variations of cardiac pain caused by respiration, postural caused by respiration, postural changes, and pressure, 767* OVERMAN, R. R. (See Wang, Painter, and Overman), 466*

Oya, J. C. (See Jimenez-Diaz, Arjona, Ales, Grande, Lopez Garcia, and Oya), 294*

Padis, N. (See Pendergrass, Griffith, Jr., Padis, and Barden), 612*

PAGE, I. H. (See Birchall, Taylor, Lowenstein,

and Page), 771*
—. (See Taylor, Corcoran, and Page), 468*
PAINTER, E. E. (See Wang, Painter, and Overman), 466*

Pannier, R. (See Heymans, Pannier, and Vanostende), 618*
—. (See Heymans, Pannier, and Verbeke), (See Heymans, Pannier, and

617*

PARKER, R. L., AND BARKER, N. W. The use of anticoagulants in the management of acute myocardial infarction, 923*

PEET, MAX M. Results of bilateral supradiaphragmatic splanchnicectomy for arterial hypertension, 619*

Pendergrass, E. P., Griffith, J. Q., Jr., Padis, N., and Barden, R. P. The indications for irradiation of the pituitary gland in patients with arterial

hypertension, 612*
Perez De Los Reyes, R. (See Castellanos, Perez De Los Reyes, and Garcia Lopez), 621*

Perianes Carro, J. (See Oritz de Landazuri, Perianes Carro, and Merchante Iglesias), 294*

PERRET, G. (See Davis and Perret), 763* PIERCE, MILA. (See Holman and Pierce), 100 PIERCE, PLOTZ, M. Bronchial spasm in cardiac asthma,

PLUMB, R. T. (See Ratliff, Nesbit, Plumb, and

Bohne), 456* FF, H. Mild rheumatic reaction in POLIAKOFF, H.

Coast Guard recruits, 298*
Poppe, J. K., and de Oliveira, H. R. ment of syphilitic aneurysms by cellophane wrapping, 620*

POPPEN, J. L. Extensive combined thoracolumbar sympathectomy in hypertension, 775*
PORTER, W. B. The effect of patent ductus

arteriosus on body growth, 299*
PRATT-THOMAS, H. R. Tuberous sclerosis with congenital tumors of heart and kidney, 292*

PRIEST, WALTER S., SMITH, JACQUES M., AND MCGEE, CHARLES J. Penicillin ther-apy of subacute bacterial endocarditis, 765*

PROGER, S., AND DEKAMOS, D. Some effects of injected cytochrome C in myocardial and cerebral anoxemia in man, 143*

PRUCHE, A. Electrocardiograms obtained from precordial positions defined by x-rays, 758*

PUDDU, V., MUSSAFIA, A., AND GIORDANO, G. An unusual electrocardiographic pattern of myocardial infarction, 460*

Pugh, D. G. The roentgenologic diagnosis of coarctation of the aorta, 620*

QUIMBY, E. H. (See Smith and Quimby), 624* -. (See Smith and Quimby), 765*

RAAB, W., AND HUMPHREYS, R. J. Drug action upon myocardial epinephrinesympathin concentration and heart rate (nitroglycerine, papaverine, priscol and dibenamine hydrochloride), 763*

RALSTON, WALTER. (See Winsor, Adolph, Ralston, and Leibv), 80
RAMOS, J. GARCIA. (See Rosenblueth and Ramos), 764*
RATLIFF, R. K., NESBIT, R. M., PLUMB, R. T., AND BOHNE, W. Nephrectomy for hypertension with unilateral renal disease 456*

disease, 456*
Rauchwerger, S. M., and Rogers, R. J. Tuberculoma of the myocardium, 280
REES, H. C., AND SLEVIN, J. G. Surgical man-

agement of vascular leg ulcers, 923*

N. The antistreptolysin titer as a REITMAN, diagnostic aid in carditis of obscure

etiology, 926*
Rennick, B. R. (See Lyons, Moe, Neligh, Hoobler, Campbell, Berry, and Rennick), 295*

RESANO, J. H. Dysphagia caused by aortic aneurysm treated by ligation of the descending thoracic aorta and forward displacement of the esophagus by forming a new hiatus, 293*
REVENO, W. S. Thiouracil in angina pectoris, 148*

RICHARDS, D. W., JR. (See Bloomfield, Lauson, Cournand, Breed, and Richards, Jr.), 776*

RILEY, R. L. (See Cournand, Himmelstein, Riley, and Lester), 616*
RITCHIE, J. O. (See Muntz, Ritchie, and Gatch), 144

Rizzo, S. (See Addari, de Carolis, Montevecchi, Foscarini, Curti, Sita, Altanta, Josonni, Rizzo, Tavoschi, Magoro, and Grandi), 464*

The technique of the roent-ROBBINS, L. L. genologic demonstration of pulmonary infarct, 145*

ROBERTS, JOSEPH THOMAS, AND LOUBE, SAM-UEL DENNIS. Congenital single coro-

ROBERTSON, THEODORE. Paracolon bacillus endocarditis of the pulmonic valve secondary to infected polycystic kidneys, 766*

ROBINSON, C. N. (See Mylks, Brown, and Polycyst) 750*

N, C. N. (See Mylks, Brown, and Robinson), 768*

ROBLES, C., AND BENAVIDES, P. H. Considerations on surgical treatment of essential hypertension by dorso-lumbar sympathectomy, 931*

ROBLES GIL, J. Clinical and histopathological study of the nodules in various rheu-matic diseases, 767*

RODBARD, S. (See Wilburne, Surtshin, Rodbard, and Katz), 860

ROESLER, HUGO, AND DRESSLER, WILLIAM. An electrocardiographic pattern of infarction of the interventricular septum, extending from the anterior to the posterior aspect of the heart, 817 (See Dressler and Roesler), 627

ROGERS, H. M. The cardiovascular manifestations of induced thyrotoxicosis, 929* ROGERS, R. J. (See Rauchwerger and Rogers), 280

ROOT, WALTER S. (See Gregersen and Root), 465*

Rose, E. (See Mayock and Rose), 295* Rosenbaum, F. F. Right ventricular and right auricular hypertrophy of obscure origin, 144*

ROSENBLUETH, A., AND RAMOS, J. GARCIA. Action of artificial obstacles on experi-

mental flutter, 764* Rosenblueth, S. (See Garcia Ramos and Rosenblueth), 930*

Ross, J. B. (See Johnson, Wollin, and Ross), 457*

Rотн, I. (See Brown, Roth, and Suesskind), 297*

ROTMAN-KAVKA, G. (See Hirsch, Rotman-Kavka, Dowling, and Swee), 622* RUBIO, CARLOS W. (See Castro and Rubio),

764*

Rudolf, Jaffe. Chronic isolated myocarditis, 143*

RUSHMER, ROBERT F. Circulatory effects of three modifications of the Valsalva experiment, 399

RUSKIN, A., AND DECHERD, G. M. Thiamine

circulation time, 296*
RUSKIN, ARTHUR, AND MCKINLEY, W. FRANK.
Comparative study of potassium thiocyanate and other drugs in the treatment of essential hypertension, 691

-. Pitressin test of coronary insufficiency, 569 Russek, H. I. (See Southworth and Russek),

S

624*

SACCOMANNO, G., UTGTERBACK, R. A., AND KLEMME, R. M. Anatomic data re-

garding the surgical treatment of angina pectoris, 624*
SALAZAR MELLEN, M., LOZANO LUBE, E., AND BRENES, M. A comparative study of cultures of arterial or venous blood and bone marrow in patients with sub-

acute bacterial endocarditis, 767*
Sampson, John J. (See Brown, Sampson, Wheeler, Gundelfinger, and Giansira-

cusa), 311 Sanabria, A. 2-Thiouracil in heart failure and in angina pectoris, 460* Saphir, Отто. Myocardial granulomas in sub-

acute bacterial endocarditis, 293* (See Gore and Saphir), 827

—. (See Gore and Saphir), 831
SCARLINI, F. Rupture of a chronic fibrous SCHEIFLEY, C. H. (See Dry, Butt, and Scheifley), 301* aneurysm on the interventricular sep-

SCHERF, D., AND SCHLACHMAN, M. The electrocardiographic changes caused by hyperventilation, 299*

Schirosa, G. 776* (See Turchetti and Schirosa),

SCHLACHMAN, M. (See Scherf and Schlachman), 299*
SCHLAMOWITZ, ISADORE. An analysis of the

time relationships within the cardiac cycle in electrocardiograms of normal men. IV. The effect of position change on the relationships of the Q-T and the T-P intervals respectively to the cycle length (R-R interval), 702

An analysis of the time relationships within the cardiac cycle in electrocardiograms of normal men. V. The effect of changing heart rate upon Q-T interval and the T-P interval and their respective relationships to the cycle length (R-R interval), 878

Schlichter, J. G., and MacLean, Helen. A method of determining the effective therapeutic level in the treatment of subacute bacterial endocarditis with penicillin, 209

Schloss, E. M. (See Blumberg and Schloss), 622*

SCHMIDT, CARL F. (See Bruner and Schmidt), 919*

Schoff, Charles. (See Moore and Schoff). 889

Schofield, Norman D. (See Herrmann and Schofield), 87

SEED, JOHN. (See Kennedy and Seed), 906 SEGERS, M. The normal and pathological aspects of conduction during the refractory phase, 618* SELDIN, D. W., KAPLAN.

SELDIN, D. W., KAPLAN, H. S., AND BUNTING, H. Rheumatic pneumonia, 462* SEPULVEDA, M. (See Duffau and Sepulveda),

294*

SERVELLE, M. Lymphography and elephantiasis, 914*

SHAFFER, J. O. A method of rapid transfusion into the femoral vessels in patients without adequate peripheral superficial veins, 927*

Intra-arterial penicillin in the surgical treatment of infections of the extremities, 927*

SHAFIROFF, B. J. P. Ligation of the inferior vena cava, 772*
SHICK, R. M. Surgical treatment of coarcta-

tion of the aorta, 620*

SHUMACKER, H. B., JR., AND ABRAMSON, D. I. Sympathectomy in trench foot, 463* Siegal, S. (See Zeman and Siegal), 772*

SILVERMAN, JACOB J. Shrapnel wound of the heart with benign manifestations, 419

SITA, A. (See Addari, de Carolis, Montevecchi, Foscarini, Curti, Sita, Altanta, Josonni, Rizzo, Tavoschi, Magoro, and Grandi), 464*

SLEVIN, J. G. (See Rees and Slevin), 923*

SLOCUM, H. C., HOEFLICH, E. A., AND ALLEN, C. R. Circulatory and respiratory distress from extreme positions on the operating table, 775*

SMETANA, HANS. (See Greisman, Brown, and

Smetana), 447 SMIRK, F. H. (See Fastier and Smirk), 613* SMITH, B. C., AND QUIMBY, E. H. The use of radioactive sodium in the study of

peripheral vascular disease, 624* . The use of radioactive sodium in the study of peripheral vascular

disease, 765* SMITH, H. L. (See Cook, Smith, Giesen, and Berdez), 777*

ACQUES M. (See Priest, Smith, and McGee), 765* SMITH, JACQUES M.

SMITH, PAUL E., JR. (See Foulger, Smith, Jr., and Fleming), 507

SOBIN, S. S., AND LANDIS, E. M. Blood pressure of the rat during acute and chronic choline deficiency, 918*

Sodi Pallares, D. (See Friedland and Sodi Pallares), 930*

Solarz, Sylvan D. An electrocardiographic study of one hundred fourteen consecutive cases of trichinosis, 230

SOLOMON, S., AND IRWIN, C. W. Cutaneous diphtheria with toxic myocarditis, 144*

Sossai, A. On a case of spontaneous rupture

of the heart with lung survival, 761* Southworth, J. L., and Russek, H. I. A technic for testing hypertensive pa-

tients preoperatively, 624*
Stefko, P. L. (See Copley and Stefko), 769*
Steiger, Howard P., and Edeiken, Joseph. Electrocardiographic changes in early syphilis, 674

STEIN, M. H., AND DRISCOLL, R. E. Paroxysmal ventricular tachycardia with acute left ventricular failure in a patient with no evidence of organic heart disease, 926*

STEINER, A., AND KENDALL, F. E. Atherosclerosis and arteriosclerosis in dogs following ingestion of cholesterol and thiouracil, 296*

STOFER, BERT E. (See Myers, Klein, Stofer, and Hiratzka), 785
STUDY, ROBERT S. (See Wendkos and Study),

138

SUAREZ, J. R. E. (See Taquini, Fasciolo, Suarez, and Chiodi), 50 SUESSKIND, S. (See Broun, Roth, and Suess-

kind), 297* SURTSHIN, A. (See Wilburne, Surtshin, Rodbard, and Katz), 860

SUTLER, M. R. (See Coller, Campbell, Berry, Sutler, Lyons, and Moe), 929* SWEE, L. K. (See Hirsch, Rotman-Kayka,

Dowling, and Swee), 622*

TAQUINI, ALBERTO C., FASCIOLO, J. C., SUAREZ, J. R. E., AND CHIODI, H. Circulatory adaptations in Ayerza's syndrome-

black cardiacs, 50
TAVOSCHI, F. (See Addari, de Carolis, Montevecchi, Altanta, Josonni, Rizzo, Tavoschi, Magoro, and Grandi), 464*

TAYLOR, R. D., CORCORAN, A. C., AND PAGE, I. H. Menopausal hypertension, 468*

(See Birchall, Taylor, Lowenstein, and

Page), 771*
Telford, J. (See Handley and Telford), 468*
Teplich, J. G., and Drake, E. H. The roentgen and cardiac manifestations of funnel chest, 459*

TERROUX, K. GODWIN, GERTLER, M. M., AND HOFF, H. E. The alkali tolerance of the dog heart, 461* THEBOUT, B. R., AND WARD, C. S. Ligation of

the inferior vena cava in thrombo-embolism, 770*

THILL, C. J., AND MEYER, O. O. Experiences

with penicillin and dicumarol in the treatment of subacute bacterial endo-

carditis, 300* Тномаs, Е. Р. (See Collins, Nelson, Jones, Weinstein, and Thomas), 456

THORDARSON, O. Clinical studies on the relative incidence of congenital heart disease, 915*
Trier, M. Penicillin treatment of subacute

bacterial endocarditis, 147* TROCME, P. Micronodular and reticulated appearance of the lungs during acute broncho pulmonary infection in patient with mitral disease, 914*
Turchetti, A., and Schirosa, G. La regis-

trazione grafica della pressione venosa, 776*

TURNER, LOUIS B. Asymptomatic congenital complete heart block in an Army Air Force pilot, 426

U

(See Saccomanno, Utgter-UTGTERBACK, R. A. back, and Klemme), 624*

UYEYAMA, HAJIME, KONDO, BENJAMIN, AND KAMINS, MAURICE. Arachnodactylia and cardiovascular disease-report of an autopsied case with a summary of previously autopsied cases, 580

VAN BOGAERT, A., AND VAN GENABEEK, A. Contribution to the study of electro-P-Q interval, 915*
Van Genabeek, A. (See Van Bogaert and Van Genabeek), 915* cardiographic abnormalities of the

VANDAM, L. D. (See Bing, Vandam, and Gray, Jr.), 615*

Vanostende, A. (See Heymans, Pannier, and Vanostende), 618*

Verbeke, R.' (See Heymans, Pannier, and Verbeke), 617*

VICKERY, A. L. (See Woll and Vickery), 467* VIGRAN, I. M. (See Dry, Edwards, Maynard, Moe, and Vigran), 764*

W

WALDMAN, M. S. (See Kipple, Waldman, and Hall), 769* WALSER, A. The influence of autonomic drugs

on the T waves in the exercise electrocardiogram, 147*

WALTON, R. P., AND BRODIE, O. J. The effect of drugs on the contractile force of a section of the right ventricle under conditions of an intact circulation, 773*

WANG, S. C., PAINTER, E. E., AND OVERMAN, R. R. The mechanism of prolonged fluorescein circulation time in experi-

mental traumatic shock, 466* WARD, C. S. (See Thebaut and Ward), 770* WARREN, J. V. (See Nickerson, Warren, and Brannon), 619*

WASTL, H. Observations of influence of cornsilk extract (Stigmata maydis zeae) on blood pressure in hypertensive

rats, 922*
Webb, A. C. Truncus arteriosus communis persistens, 292*

Wedding, E. S. Actinomycotic endocarditis, 778*

WÉGRIA, RENÉ. (See Boyle, Wégria, Cathcart,

Nickerson, and Levy), 65 Weiden, S. (See Krieger and Weiden), 921* Weiner, D. (See Friedman, Lange, and WEIDEN, D. (See FIREMANN Weiner), 299*
Weiner, B. B. (See Collins, Nelson, Jones, Weinstein, and Thomas), 456*
Weinstein, and Bishop, L. F. The

ficiency, 925*

WEINTRAUB, HENRY J., AND BISHOP, LOUIS F., Jr. Daily changing picture in a case of acute rheumatic carditis, 284

Weisberger, Austin S., and Feil, Harold. Lanatoside C in the treatment of persistent paroxysmal auricular tachy-cardia, 871

Welin, S., Hamberger, C. A., and Crafoord, C. Surgically removed foreign body Surgically removed foreign body embolus in the pulmonary artery, 463*

WENDKOS, MARTIN H., AND STUDY, ROBERT S Familial congenital complete A-V heart block, 138

WERTMAN, MAXINE. (See Martin and Wertman), 646 West, H. F. Heart disease in the case-finding

West, W. I. 18

V. J. (See Collins, Foster, and West), 770*

WEXLER, JACK, WHITTENBERGER, JAMES L., AND DUMKE, PAUL R. The effect of cyanide on the electrocardiogram of

man, 163
WHEELER, E. O., BRIDGES, W. C., AND WHITE,
P. D. Diet low in salt (sodium) in
congestive heart failure, 149*

Wheeler, Edwin O. (See Brown, Sampson, Wheeler, Gundelfinger, and Giansiracusa), 311

P. D. (See Wheeler, Bridges, and White), 149* WHITE,

WHITE, PAUL D., COHEN, MANDEL E., AND CHAPMAN, WILLIAM P. The electrocardiogram in neurocirculatory asthenia, anxiety neurosis, or effort syndrome, 390

-. (See Carlotti, Cohen, and White), 552 WHITTENBERGER, JAMES L. (See Wexler, Whittenberger, and Dumke), 163

WIDMAN, R. (See Wirtschafter and Widmann), 612*
WIGGERS, C. J. (See Eckstein, Wiggers, and Graham), 920*
WILBURNE, M., SURTSHIN, A., RODBARD, S., AND KATZ, L. N. Inhibition of paroximal supervised by the second control of the control of the second control of the s ysmal ventricular tachycardia by atropine, 860

WILENS, S. L. Bearing of general nutritional state on atherosclerosis, 461*

Wilson, R. H., Mortarotti, T. G., and De-Eds, F. Some pharmacological prop-erties of rutin, 932*

WINDHOLZ, FRANK, AND GRAYSON, CHARLES E. Intrusion of aortic root into mitral orifice in hypertensive disease; radiologic observations on living persons, 180

WINSOR, TRAVIS, ADOLPH, WILLIAM, RALSTON, WALTER, AND LEIBY, GEORGE M. Fractional circulation times using fluorescent tracer substances, 80

WIRTSCHAFTER, Z. T., AND WIDMANN, R. The elaboration of histamine in vivo in the treatment of peripheral vascular disorders, 612*

WOLFERTH, CHARLES C., AND LIVEZEY, MARY M. Observations on changes in ventricular complexes produced by bundle branch block with special reference to the hypothesis of electrical axis and the concept of dextrocardiogram and levocardiogram, 1

WOLL, E., AND VICKERY, A. L. Primary fibrosarcomo of the heart with a vertebral metastasis, 467*

WOLLIN, D. G. (See Johnson, Wollin, and Ross), 457*

Wood, J. Edwin, Jr. (See Bryant and Wood, JR.), 20

WORTMANN, R. F. (See Davis and Wortmann), 924*

YANZ, N. (See Govier, Yanz, and Grelis), 761* YOHALEM, S. B. (See Gertler and Yohalem), 302*

Young, Dennison, and Glauber, Jerome J. Electrocardiographic changes result-ing from acute cocaine intoxication, 272

Young, R. D., and Hunter, W. C. Primary myxoma of the left ventricle with embolic occlusion of the abdominal aorta and renal arteries, 466*

YUNIEV, G. S. (See Gurvich and Yuniev), 459*

Z

ZEMAN, F. D., AND SIEGAL, S. Monoplegia following carotid sinus pressure in the aged, 772*

ZIMMERMAN, S. L. (See Barnett and Zimmerman), 441

ZONDEK, H. Mixed thyroidism, 614*

SUBJECT INDEX

A

Aberration simulating ventricular paroxysmal tachycardia, auricular fibrillation with (Gouaux and Ashman), 366

Acidosis, diabetic, electrolyte changes and electrocardiogram in (Martin and Wertman), 646

Actinomycotic endocarditis, 778*

Adrenal apoplexy associated with hypertension, 458*

medulla, insensitivity to epinephrine in patient with functioning tumor of, 295*

Adrenalin, increased reactivity caused by, 295* producing tumor (pheochromocytoma) containing 2,300 milligrams of adrenalin, 144*

Age groups, younger, complete heart block in (Crawford and Di Gregorio), 540

Alkali tolerance of dog heart, 461*

Alkaloids, veratrum, studies on; VII. Receptor areas in coronary arteries and elsewhere as revealed by use of veratridine, 769*

Amidines, circulatory properties of iso-thioureas, guanidines, iso-ureas, and, 613*

Aminoacetic acid, use of; specific dynamic action as means of augmenting peripheral blood flow, 298*

Ammi visnaga in treatment of anginal syndrome, 758*

Anaesthesia, precordial, cutaneous, in angina pectoris and coronary occlusion (experimental study), 916*

Aneurysm, aortic, dysphagia caused by, treated by ligation of descending thoracic aorta and forward displacement of esophagus by forming new hiatus, 293*

root or sinus of Valsalva, syndrome of rupture of, into right atrium (Hermann and Schofield), 87

arteriovenous, of lung, roentgen diagnosis of, 145*

dissecting, of aorta, 928* new sign, 760* related to trauma, 916*

with survival for three months after rupture into pleura, 759*

fibrous, chronic, of interventricular septum, rupture of, 148*

mycotic, of posterior tibial artery complicating subacute bacterial endocarditis: antemortem diagnosis confirmed by instrumental means, 764*

of pulmonary artery: review of literature and report of case (Deterling, Jr., and Clagett), 471 Aneurysms, arterial, and arteriovenous fistulas, direct measurement of blood pressure within, 927*

syphilitic, treatment of, by cellophane wrapping, 620*

Angina pectoris, anatomic data regarding surgical treatment of, 624*

and coronary occlusion, cutaneous precordial anesthesia in (experimental study), 916*

and what you can do for, 304 (B. Rev.) thiouracil in, 148*

2-thiouracil in heart failure and in, 460* xanthoma tuberosum, aortic stenosis, coronary sclerosis and, 777*

tobacco (Bryant and Wood, Jr.), 20

Anginal syndrome ammi visnaga in treatment of, 758*

Angiocardiography—comparative study with autopsy findings, 621*

Angulation, compression and, of inferior vena cava, massive hydropericardium with (Greisman et al.), 447

Anoxemia, myocardial and cerebral, some effects of injected cytochrome C in, in man, 143*

test for coronary insufficiency, 925*

Anoxia, fulminating, electrocardiographic changes in, 300*

Anticholinesterases, prostigmine, eserine and di-isopropylfluorophosphate, and of atropine, influence of, on central and peripheral transmission of nervous excitation, 617*

Anticoagulants, clinical use of, 771*

use of, in management of acute myocardial infarction, 923*

Antistreptolysin titer as diagnostic aid in carditis of obscure etiology, 926*

Anuria, studies on: effect of infusion fluids and diuretics on anuria resulting from severe burns, 766*

Anxiety neurosis, heart size in neurocirculatory asthenia, effort syndrome, or (Carlotti et al.), 552

neurocirculatory asthenia, or effort syndrome, electrocardiogram in (White et al.), 390

Aorta, abdominal, and renal arteries, primary myxoma of left ventricle with embolic occlusion of, 466*

dissecting of aneurysm of, 928*

new sign, 760* related to trauma, 916* ectatic, right-sided, 761*

roentgenologic diagnosis of coarctation of, 620*

surgical treatment of coarctation of, 620* thoracic, permanent intubation of, 768*

An asterisk (*) after a page number indicates the reference is an abstract and not an original article.

Aortic root, intrusion of, into mitral orifice in hypertensive disease; radiologic observations on living p (Windholz and Grayson), 180

or sinus of Valsalva aneurysm into right atrium, syndrome of, rupture of (Hermann and Schofield), 87

valve, traumatic rupture of, 145* Arachnodactylia and cardiovascular diseasereport of autopsied case with summary of previously autopsied cases (Uyeyama et al.), 580

Army Air Force pilot, asymptomatic congenital complete heart block in (Turner), 426

Arterial or venous thrombosis, study of normal persons and patients with: coagulation of blood in lusteroid tubes (Kadish), 212

work and pressure, influence of, on activity of cardiovascular and respiratory center, 618*

Arteries, pulmonary, tertiary, organized emboli of, 148*

renal, primary myxoma of left ventricle with embolic occlusion of abdominal aorta and, 466*

Arteriosclerosis, atherosclerosis and, in dogs following ingestion of cholesterol and thiouracil, 296*

cholesterol, experimental, 147*

Arteriosclerotic heart disease, analysis of two hundred seventeen deaths due to (III); heart disease in So (Holoubek and Holoubek), 715 South

Arteriovenous fistulas, pulmonary, clinical syndrome associated with, including case report of surgical cure (Bur-

chell and Clagett), 151 Arteritis, coronary, with fatal thrombosis due to Salmonella choleraesius variety Kunzendorf (Barnett and Zimmerman), 441

Artery and vein, coagulation thrombi in segments of, in dogs and genesis of thromboembolism, 769*

bronchial, of anesthetized dog, blood flow in 919*

coronary, single, congenital, in man (Roberts and Loube), 188

pulmonary, aneurysm of: review of literature and report of case (Deterling, Jr., and Clagett), 471

surgically removed foreign body embolus in, 463*

Asthenia, neurocirculatory, anxiety neurosis, or effort syndrome, electrocardiogram in (White et al.), 390

effort syndrome, or anxiety neurosis, heart size in (Carlotti et al.) 552

Asthma, cardiac, bronchial spasm in, 462*

Atabrine, effect of, on auricular fibrillation and supraventricular tachycardia in man, 302*

Atherosclerosis and arteriosclerosis in dogs following ingestion of cholesterol and thiouracil, 296* bearing of general nutritional state on, 461* stein), 751

right, syndrome of rupture of aortic root or sinus of Valsalva aneurysm into (Hermann and Schofield), 87

Atrium, left, endocardial pockets of (Heller-

Atropine. influence of anticholinesterases, prostigmine, eserine and di-isopropylfluorophosphate, and of, on central and peripheral transmission of nervous excitation, 617*

inhibition of paroxysmal ventricular tachy-

cardia by (Wilburne et al.), 860 Auricle above center of mitral valve, congenital muscular cord bridging walls of: asymptomatic congenital anomaly of heart (McNamara et al.), 288

left, aneurysmal dilation of, with erosion of spine, 760*

Auricular fibrillation with aberration simulat-ing ventricular paroxysmal tachycardia (Gouaux and Ashman), 366

muscle, isolated, of mammalians, selfsustained activity in (III); studies on flutter and fibrillation, 930*

right, right ventricular and, hypertrophy of obscure origin, 144*

tachycardia, paroxysmal, of unusual type (Gendel), 722

persistent, lanatoside C in treatment of (Weisberger and Feil), 871

A-V block, complete, variations in first heart sound in (Beard and Decherd, Jr.), 809

first and second degree, blocked (non-conducted) A-V nodal premature systoles imitating (Langendorf and Mehlman), 500

heart block, complete, familial congenital (Wendkos and Study), 138

Ayerza's disease, 621*

syndrome, circulatory adaptations in, black cardiacs (Taquini et al.), 50

B

Bacillus coli endocarditis (Fletcher), 743

endocarditis, subacute, due to Bacterial organisms highly resistant to penicillin, treatment of (Grossman et al.), 592

method of determining effective thera-peutic level in treatment of, with penicillin (Schlichter and Mac-Lean), 209

of undetermined etiology (Loewe and Eiber), 349

treatment of, with penicillin in beeswaxpeanut oil: gluteal abscesses and rupture of spleen (Kennedy and Seed), 906

Baljet reaction and pharmacodynamics of diginin (V); digitalis, 622* on chemical evaluation of digitalis with,

Ballistocardiograph, critically damped, low frequency, and method of right atrial catheterization, studies with; cardiac output in man, 619*

914

Beeswax-peanut oil, treatment of subacute bacterial endocarditis with penicillin in: gluteal abscesses and rupture of spleen (Kennedy and Seed), 906

Beriberi heart disease, observations on (Epstein), 432

Black cardiacs, circulatory adaptations in Ayerza's syndrome (Taquini et

al.), 50
Blood, arterial or venous, and bone marrow, comparative study of cultures of, in patients with subacute bacterial endocarditis. 767*

coagulation of, in lusteroid tubes: study of normal persons and patients with arterial or venous thrombosis (Kadish), 212

time of, in lusteroid tubes: study of patients receiving dicumarol (Kadish), 225

depots, lungs as (V); functional state of vascular system in pulmonary tuberculosis, 294*

effect of oral administration of para-aminobenzoic acid on concentration of salicylates in, 301*

flow in bronchial artery of anesthetized dog, 919*

peripheral, specific dynamic action as means of augmenting; use of aminoacetic acid, 298*

through lesser circulation upon volume and elasticity of lungs, influence of alterations of, 294*

pressure, direct measurement of, within arterial aneurysms and arteriovenous fistulas, 927*

in hypertensive rats, observations of influence of corn-silk extract (Stigmata maydis zeae) on, 922*

of normal girls from three to sixteen years of age, 777*

of rat during acute and chronic choline deficiency, 918*

relative importance of certain variables in clinical determination of, 292* studies in 100 cases of coronary occlusion

with myocardial infarction, 298* volume, circulatory corpuscle and, in case of patent ductus arteriosus before and after ligation, 916*

of some organs (Nylin), 174 reduced, problem of, in chronically ill patient; chronic shock, 926*

Bone marrow, comparative study of cultures of arterial or venous blood and, in patients with subacute bacterial endocarditis, 767*

Book reviews, 304, 779
Bromsulphalein test, effect of circulatory factors on, in liver disease, 622*

Bronchial spasm in cardiac asthma, 462*
Broncho pulmonary infection, acute, micronodular and reticulated appearance
of lungs during, in patient with
mitral disease, 914*

Bullet wounds, experimental traumatic shock produced by muscle contusion with note on effects of, 465*

Bundle branch block, observations on changes in ventricular complexes produced by, with special reference to hypothesis of electrical axis and concept of dextrocardiogram and levocardiogram (Wolferth and Livezey),

syncope and, 914*
Burns, severe, effect of infusion fluids and diuretics on anuria resulting from: studies on anuria, 766*

C

Capillary resistance, low, diseases associated with (Brown), 241

Cardiac cycle, analysis of time relationships within, in electrocardiograms of normal men; V. Effect of changing heart rate upon Q-T interval and T-P interval and their respective relationships to cycle length (R-R interval) (Schlamowitz), 878

in electrocardiograms of normal men, analysis of time relationships within; IV. Effect of position changes on relationships of Q-T and T-P intervals respectively to cycle length (R-R interval) (Schlamowitz), 702

enlargement, rheumatic mitral valve disease without, 617*

function test: intraventricular conduction on exercise, 465*

metastasis, reticulum cell sarcoma with (Brick and Greenfield), 599

murmurs, clinical features of patent ductus arteriosus with special reference to, 623*

muscle metabolism in vitro, effect of atocopherol phosphate, digitoxin, and certain compounds related to latter on, 761*

output in man: studies with low frequency, critically damped ballistocardiograph, and method of right atrial catheterization, 619*

pain, high oxygen concentration under normal and increased respiratory pressure in, and in pulmonary edema, 460*

variations of, caused by respiration, postural changes, and pressure, 767*

roentgen and, manifestations of funnel chest, 459*

vibrational intensity, changes in, in response to physiologic stress (Foulger et al.), 507

Cardiacs, black, circulatory adaptations in Ayerza's syndrome (Taquini et al.), 50

Cardio circulatory disease, recording of right heart pressures in normal subjects and in patients with chronic pulmonary disease and various types of, 776*

Cardioaortitis, 457* Cardiopatologia, 304 (B. Rev.) Cardiopulmonary function in four young individuals after pneumonectomy, follow-up study of, 616*

Cardiovascular and respiratory centers, in-fluence of arterial work and pressure on activity of, 618*

disease, arachnodactylia and,-report of autopsied case with summary of previously autopsied cases (Uyeyama et al.), 580 diseases, 779 (B. Rev.)

effects of sodium caprylate in cat, 769* manifestations of induced thyrotoxicosis,

system, lung parenchyma and, registrations of pulsations of, by Kine-densigraphy, 758*

Carditis of obscure etiology, antistreptolysin titer as diagnostic aid in, 926*

rheumatic, acute, daily changing picture in case of (Weintraub and Bishop, Jr.), 284

Carotid sinus pressure, monoplegia following, in aged, 772*

Catheterization, atrial, right, method of, studies with low frequency, critiright, method of, cally damped ballistocardiograph, and; cardiac output in man, 619

heart, in investigation of congenital heart disease, 457*

Cellophane wrapping, treatment of syphilitic aneurysms by, 620*

Cerebral thromboangiitis obliterans, 763*

Chemical evaluation of digitalis with Baljet reaction, 914* Chill and fever induced by intravenous typhoid

vaccine, electrocardiogram in man during episode of (Freedberg et al.), 249

Cholecystitis, chronic, electrocardiographic observations in, before and after sur-

gery, 771*
Choleraesuis, Salmonella, variety Kunzendorf, coronary arteritis with fatal thrombosis due to (Barnett and Zimmerman), 441

Cholesterol and thiouracil, atherosclerosis and arteriosclerosis in dogs following ingestion of, 296*

arteriosclerosis, experimental, 147*

Choline deficiency, acute and chronic, blood pressure of rat during, 918*

Circulation during and after obstetric labor, physiologic changes in (Brown et al.), 311

effects of intravenous injection of nicotine on (Boyle et al.), 65

time determination, reactions of Decholin in (Norman), 740

fluorescein, prolonged, mechanism of, in experimental traumatic shock, 466* fractional, using fluorescent tracer sub-stances (Winsor et al.), 80

thiamine, 296

Circulatory adaptations in Ayerza's syndrome-black cardiacs (Taquini et al.), 50

and respiratory distress from extreme positions on operating table, 775*

Circulatory-Cont'd

blood volume of some organs (Nylin), 174 effects of three modifications of Valsalva experiment (Rushmer), 399

Clubbing of fingers, on etiology of (Mauer), 852 Coagulation of blood in lusteroid tubes: study of normal persons and patients with arterial or venous thrombosis (Kadish), 212

time of blood in lusteroid tubes: study of patients receiving dicumarol (Kad-

ish), 225 Coarctation of aorta, roentgenologic diagnosis of, 620*

surgical treatment of, 620*

Coast Guard recruits, mild rheumatic reaction in, 298*

Cocaine intoxication, acute, electrocardiographic changes resulting (Young and Glauber), 272

Cold pressor test, value of, in prediction of hypertension and toxemia in pregnancy, 921*
Compression and angulation of inferior vena

cava, massive hydroperic with (Greisman et al.), 447 massive hydropericardium

bandages, ambulatory treatment of phlebitis, thrombophlebitis, and thrombosis

with, 932*
Conduction in human heart, supernormal phase of recovery of (Mack et al.), 374

normal and pathological aspects of, during refractory phase, 618*

Congenital anomaly, asymptomatic, of heart: congenital muscular cord bridging walls of auricle above center of mitral valve (McNamara et al.), 288

complete A-V heart block, familial (Wendkos and Study), 138

heart block, asymptomatic, in Army Air Force pilot (Turner), 426

heart disease, clinical studies on relative incidence of, 915*

secondary hypertrophic osteoarthro-pathy in (Means and Brown), 262 pulmonary stenosis with closed interventricular septum Harper, Jr.), 131 (Auerbach and

single coronary artery in man (Roberts and Loube), 188

Congestive heart failure, comparative study on use of purified digitalis glycosides, digoxin, digitoxin, and lanatoside C, for management of ambulatory patients with (Batterman and DeGraff), 663

Contractile force of section of right ventricle under conditions of intact circula-

tion, effect of drugs on, 773* Cord, muscular, congenital, bridging walls of auricle above center of mitral valve: asymptomatic congenital anomaly of heart (McNamara et al.), 288

extract (Stigmata maydis zeae), Corn-silk observations of influence of, on blood pressure in hypertensive rats, 922*

Coronary arteritis with fatal thrombosis due to Salmonella choleraesuis variety Kunzendorf (Barnett and Zimmerman), 441

artery, congenitally single, comparison of hearts with (Roberts and Loube), 200

single, congenital, in man (Roberts and Loube), 188

circulation in dog, 919*

flow under conditions of hemorrhagic hypotension and shock, study of, 920* insufficiency, anoxemia test for, 925*

pitressin test of (Ruskin), 569 occlusion, cutaneous precordial anesthesia

in angina pectoris and, 916*
what you can do for angina pectoris and,
304 (B. Rev.)

with myocardial infarction, blood pressure studies in 100 cases of, 298*

thrombosis, paroxysmal diaphragmatic flutter with symptoms suggesting (Moore and Schoff), 889

Corpuscle, circulatory, and blood volume in case of patent ductus arteriosus before and after ligation, 916*

Correspondence, 306

Cozzente del sangue, la velocita della, nella terapia, 305 (B. Rev.)

Creatinine, exogenous, inulin and; renal filtration rates in pregnancy toxemia, 775*

Cyanide, effect of, on electrocardiogram of man (Wexler et al.), 163

Cycle length (R-R interval), effect of changing heart rate upon Q-T interval and T-P interval and their respective relationships to (V); analysis of time relationships within cardiac cycle in electrocardiograms of normal men (Schlamowitz), 878

position change on relationships of Q-T and T-P intervals respectively to (IV); analysis of time relationships within cardiac cycle in electrocardiograms of normal men (Schlamowitz), 702

Cytochrome C, injected, some effects of, in myocardial and cerebral anoxemia in man, 143*

Cytochrome-C, variations of amount of, in myocardium and in striated muscle in human pathology, 917*

r

Decholin, reactions to, in circulation time determination (Norman), 740

Dextrocardiogram and levocardiogram, concept of, observations on changes in ventricular complexes produced by bundle branch block with special reference to hypothesis of electrical axis and (Wolferth and Livezey), 1

Diabetic acidosis, electrolyte changes and electrocardiogram in (Martin and Wertman), 646 Diaphragmatic flutter, paroxysmal, with symptoms suggesting coronary thrombosis (Moore and Schoff), 889

Dicumarol, penicillin and, experiences with, in treatment of subacute bacterial endocarditis, 300*

study of patients receiving: coagulation time of blood in lusteroid tubes (Kadish), 225

treated, normal and, rats, effect of perfusion through isolated liver on prothrombin activity of blood from, 768*

Diginin, Baljet reaction and pharmacodynamics of (V); digitalis, 622*

Digitale et strophantines; pharmacodynamie—therapeutique, 781 (B. Rev.)

Digitalis action, general concept of, 764*
V. Baljet reaction and phamacodynamics of diginin, 622*

effect of, on fluid distribution of body, 468* glycosides, purified, digoxin, digitoxin, and lanatoside C, comparative study on use of, for management of ambulatory patients with congestive heart failure (Batterman and DeGraff), 663

on chemical evaluation of, with Baljet reaction, 914*

Digitaloids and mercurial diuretics employed in cardiology, thromboplastic properties of, 458*

Digitoxin, certain compounds related to latter, and a-tocopherol phosphate effect of, on cardiac muscle metabolism in vitro, 761*

digoxin, and lanatoside C, purified digitalis glycosides, comparative study on use of, for management of ambulatory patients with congestive heart failure (Batterman and DeGraff), 663

Digoxin, digitoxin, and lanatoside C, purified digitalis glycosides, comparative study on use of, for management of ambulatory patients with congestive heart failure (Batterman and De-Graff), 663

Di-isopropylfluorophosphate, eserine and, anticholinesterases, prostigmine, and of atropine, influence of, on central and peripheral transmission of nervous excitation, 617*

Dilation, aneurysmal of left auricle with erosion of spine, 760*

Diphtheria, cutaneous, with toxic myocarditis, 144*

Diseases associated with low capillary resistance (Brown), 241

Drugs, autonomic, influence of, on T waves in exercise electrocardiogram, 147* effect of, on contractile force of section of

right ventricle under conditions of intact circulation, 773*

other, comparative study of potassium thiocyanate and, in treatment of essential hypertension (Ruskin and McKinley), 691 Dynamic action, specific, as means of augmenting peripheral blood flow; use of aminoacetic acid, 298*

Dysentery, amebic, cardiac manifestations of toxic action of emetine hydrochloride in, 291*

Dysphagia caused by aortic angurysm treated by ligation of descending thoracic aorta and forward displacement of esophagus by forming a new hiatus,

Ectatic aorta, right-sided, 761*

Effort syndrome, electrocardiogram in neurocirculatory asthenia, anxiety neurosis, or (White et al.), 390

neurocirculatory asthenia, or anxiety neurosis, heart size in (Carlotti et al.), 552

Electrical axis, hypothesis of, and concept of dextrocardiogram and levocardiogram, observations on changes in ventricular complexes produced by bundle branch block with special reference to (Wolferth and Livezey), 1

Electrocardiogram, electrolyte and, in diabetic acidosis (Martin and Wertman),

esophageal, normal, 293*

exercise, influence of autonomic drugs on T waves in, 147*

in derangements of organism's water and electrolyte metabolism, 146*

in man during episode of chill and fever induced by intravenous typhoid vaccine (Freedberg et al.), 249

in neurocirculatory asthenia, anxiety neu-rosis, or effort syndrome (White et al.), 390

of man, effect of cyanide on (Wexler et al.), 163

Electrocardiograms obtained from precordial positions defined by X-rays, 758*

of normal men, analysis of time relationships within cardiac cycle in; IV. Effect of position change on relationships of O-T and T-P intervals respectively to cycle length (R-R interval) (Schlamowitz), 702

Effect of changing heart rate upon Q-T interval and T-P interval and their respective relationships to cycle length (R-R interval) (Schlamowitz), 878

pre-excitation, five cases with, 146*

Electrocardiographic abnormalities of P-Q interval, contribution to study of,

changes caused by hyperventilation, 299* in early syphilis (Steiger and Edeiken), 674 in fulminating anoxia, 300*

in normal man during voluntary hyperventilation (II); studies on hyperventilation, 760*

in paroxysmal hypertension due to chromaffin adrenal tumor, 916*

Electrocardiographic-Cont'd

resulting from adute cocaine intoxication (Young and Glauber), 272

observations in chronic cholecystitis before

and after surgery, 771* of infarction of interventricular pattern septum, extending from anterior to posterior aspect of heart (Roesler and Dressler), 817

unusual, of myocardial infarction; (Type QT $_1$ C $_5$ $_6$), 460*

studies of gunshot and stab wounds of heart (Middleton), 899

study of one hundred fourteen consecutive cases of trichinosis (Solarz), 230

Electrocardiographique, diagnostic, 780 (B. Rev.)

Electrocardiography, fetal, technique of (Blondheim), 35

Electrokymogram of heart and great vessel motion, interpreting (Boone et al.),

Electrolyte changes and electrocardiogram in diabetic acidosis (Martin and Wertman), 646

metabolism, organism's water and, electrocardiogram in derangements of, 146*

Elephantiasis, lymphography and, 914* Emboli, organized, of tertiary pulmonary

arteries, 148* Embolism, air, cerebral, following artificial pneumothorax treatment with pro-longed inhalation of oxygen, 923*

during labor, 768* pulmonary, evaluation of, following intra-

vascular venous thrombosis, 773* Emetine hydrochloride, cardiac manifestations of toxic action of, in amebic dysentery, 291*

Emphysema, interstitial, spontaneous, of lung simulating organic heart disease (McCabe), 729

Endocardial pockets of left atrium (Hellerstein), 751

Endocarditis, actinomycotic, 778* Bacillus coli (Fletcher), 743

bacterial, subacute, caused by Streptococcus s.b.e., 291* clinical manifestations of,

comparative study of cultures of arterial or venous blood and bone marrow in patients with, 767*

due to organisms highly resistant to pencillin, treatment of (Grossman et al.), 592

during pregnancy, 924*

experiences with penicillin and dicumarol in treatment of, 300*

healed: report of two cases with death due to congestive heart failure, 925*

method of determining effective thera-peutic level in treatment of, with penicillin (Schlichter and Mac-Lean), 209

mycotic aneurysm of posterior tibial artery complicating: antemortem diagnosis confirmed by instrumental means, 764*

myocardial granulomas in, 293*

Endocarditis-Cont'd

of undetermined etiology (Loewe and Eiber), 349

penicillin therapy of, 765* treatment of, 147*

treatment of, with pencillin, 294* with pencillin in beeswax-peanut oil: gluteal abscesses and rupture of spleen (Kennedy and Seed), 906

paracolon bacillus, of pulmonic valve secondary to infected polycystic kidneys, 766*

Epinephrine, insensitivity to, in patient with functioning tumor of adrenal medulla, 295*

Eserine and di-isopropylfluorophosphate, anticholinesterases, prostigmine, and of atropine, influence of, on central and peripheral transmission of nervous excitation, 617*

Esophageal electrocardiogram, normal, 293* Esophagus, dysphagia caused by aortic aneurysm treated by ligation of descending thoracic aorta and forward displacement of, by forming new hiatus, 293*

Extremities, intra-arterial penicillin in surgical treatment of infections of, 927'

Fallot, tetrology of, results of preoperative studies in patients with (II); physiological studies in congenital heart

disease, 615 Familial congenital complete A-V heart block (Wendkos and Study), 138

Feet, nongangrenous frostbite of (Holman and Pierce), 101

Femoral vessels, method of rapid transfusion into, in patients without adequate peripheral superficial veins,

Fetal electrocardiography, technique of (Blondheim), 35

Fever, chill and, induced by intravenous typhoid vaccine, electrocardiogram in man during episode of (Freedberg), 249

Fibrillation, auricular, and supraventricular tachycardia in man, effect of atabrine on, 302*

with aberration simulating ventricular paroxysmal tachycardia (Gouaux and Ashman), 366

restoration of heart rhythm during, by con-

denser discharge, 459 studies on flutter and; III. Self-sustained activity in isolated auricular muscle of mammalians, 930*

Fibrosarcoma, primary, of heart with vertebral metastasis, 467*

Fingers, on etiology of clubbing of (Mauer), 852

Fistulas, arteriovenous, direct measurement of blood pressure within arterial aneurysms and, 927*

pulmonary, clinical syndrome associated with, including case report of sur-gical cure (Burchell and Clagett), 151

Fluid distribution of body, effect of digitalis on, 468*

Fluorescent tracer substances, fractional circulation times using (Winsor et al.),

Flutter and fibrillation, studies on; III. Selfsustained activity in isolated auricular muscle of mammaliams, 930* case of prolonged, 458*

diaphragmatic, paroxysmal, with symptoms suggesting coronary thrombosis (Moore and Schoff), 889

experimental, action of artificial obstacles on, 764*

Foreign body embolus, surgically removed, in pulmonary artery, 463*

Fractional circulation times using fluorescent tracer substances (Winsor et al.), 80

Frostbite, experimental, pathology of, 299* nongangrenous, of feet (Holman and Pierce), 101

Funnel chest, roentgen and cardiac manifesta-tions of, 459*

G

Gallop rhythm in children studied by means of calibrated phonocardiography, 465*

Ganglia, autonomic, effects of blockade of, in man with tetraethylammonium,

Ganglionectomy, clinical studies of pharmacologic effects of tetraethyl ammonium chloride in hypertensive persons made in attempt to select patients suitable for lumbodorsal sympathectomy and, 771*

Girls, normal, from three to sixteen years of age, blood pressures of, 777*

Gluteal abscesses and rupture of spleen: treatment of subacute bacterial endocarditis with penicillin in beeswax-peanut oil (Kennedy and Seed), 906

Granulomas, myocardial, in subacute bacterial endocarditis, 293*

Great vessel, heart and, motion, interpreting electrokymogram of (Boone et al.), 560

Growth, body, effect of patent ductus arteriosus on, 299*

Guanidines, iso-thioureas, iso-ureas, and amidines, circulatory properties of, 613*

Gunshot and stab wounds of heart electrocardiographic studies of (Middleton), 899

H

Hands of patients with rheumatic fever, observation concerning, 762*

Heart and great vessel motion, interpreting electrokymogram of (Boone et al.), 560

asymptomatic congenital anomaly of; con-genital muscular cord bridging walls of auricle above center of mitral valve (McNamara et al.), 288

Heart-Cont'd

block, A-V, complete, congenital, familial (Wendkos and Study), 138

complete, congenital, asymptomatic, in Army Air Force pilot (Turner), 426 in younger age groups (Crawford and Di Gregorio), 541

disease, beriberi, observations on (Epstein), 432

congenital, clinical studies on relative incidence of, 915*

heart catheterization in investigation of, 457*

physiological studies in; II. Results of preoperative studies in patients with tetralogy of Fallot, 615*

secondary hypertrophic osteoarthropathy in (Means and Brown), 262 in case-finding program, 296*

in South; II. Statistical survey of one hundred seventeen deaths due to rheumatic heart disease (Holoubek and Holoubek), 709

 Analysis of two hundred seventeen deaths due to arteriosclerotic heart disease (Holoubek and Holoubek),

organic, paroxysmal ventricular tachycardia with acute left ventricular failure in patient with no evidence of, 926*

spontaneous interstitial emphysema of lung simulating (McCabe), 729

rheumatic, liver dysfunction in, 622* dog, alkali tolerance of, 461*

double rupture of, following myocardial infarction (Carroll and Cummins), 894

electrocardiographic pattern of infarction of interventricular septum, extending from anterior to posterior aspect of (Roesler and Dressler), 817

studies of gunshot and stab wounds of (Middleton), 899

failure, congestive, comparative study on use of purified digitalis glycosides, digoxin, digitoxin, and lanatoside C, for management of ambulatory patients with (Batterman and DeGraff), 663

diet low in salt (sodium) in, 149*
report of two cases with death due to:
healed subacute bacterial endocarditis, 925*

2-thiouracil in, and in angina pectoris, 460*

human, supernormal phase of recovery of conduction in (Mack et al.), 374

on case of spontaneous rupture of, with long survival, 761*

pressures, right, recording of, in normal subjects and in patients with chronic pulmonary disease and various types of cardio circulatory disease, 776*

Heart-Cont'd

rate, changing, effect of, upon Q-T interval and T-P interval and their respective relationships to cycle length (R-R interval) (V); analysis of time relationships within cardiac cycle in electrocardiograms of normal men (Schlamowitz), 878

(nitroglycerine, papaverine, priscol, dibenamine hydrochloride), drug action upon myocardial epinephrine-sympathin concentration and, 763*

rhythm, restoration of, during fibrillation by condenser discharge, 459*

shrapnel wound of, with benign manifestations (Silverman), 419

size in neurocirculatory asthenia, effort syndrome, or anxiety neurosis (Carlotti et al.), 552

sound, first, in complete A-V block, variations in (Beard and Decherd, Jr.), 809

volume, radiographic demonstration of increase in, after ingestion of litre of water, 921*

voluntary acceleration of, in subject showing Wolff-Parkinson-White syndrome (Feil et al.), 334

Histamine in vivo in treatment of peripheral vascular disorders, elaboration of, 612*

Human heart, supernormal phase of recovery of conduction in (Mack et al.), 374

Hydrochloride, emetine, cardiac manifestations of toxic action of, in amebic dysentery, 291*

Hydropericardium, massive, with compression and angulation of inferior vena cava (Greisman et al.), 447

Hypertension, adrenal apoplexy associated with, 458*

and toxemia in pregnancy, value of cold pressor test in prediction of, 921* arterial, indications for irradiation of pitui-

tary gland in patients with, 612* results of bilateral supradiaphragmatic splanchnicectomy for, 619*

essential, comparative study of potassium thiocyanate and other drugs in treatment of (Ruskin and Mc-Kinley), 691

considerations on surgical treatment of, by dorso-lumbar sympathectomy, 931*

special form of, with paradoxical pharmacodynamic reactions, 917*

experimental, physical and nervous factors in, 302*

extensive combined thoracolumbar sympathectomy in, 775*

menopausal, 468*

paroxysmal, due to chromaffin adrenal tumor electrocardiographic changes in, 016*

surgical considerations in treatment of, 773* with unilateral renal disease, nephrectomy for, 456* Hypertensive disease, intrusion of aortic root into mitral orifice in; radiologic observations on living persons (Windholz and Grayson), 180

osteoporosis occurring during potassium thiocyanate therapy for, 932* pregnancy in patient with, 918*

study of inter-action of pregnancy and, 924

headache treated with potassium thiocy-anate, 614*

patients, technic for testing, preoperatively, 624*

persons, clinical studies of pharmacologic effects of tetraethyl ammonium chloride in, made in attempt to select patients suitable for lumbodorsal sympathectomy and ganglionectomy, 771*
rats, observations of influence of corn-silk

extract (Stigmata maydis zeae) on blood pressure in, 922*

Hypertrophic osteoarthropathy, secondary, in congenital heart disease (Means and Brown), 262

Hypertrophy, right ventricular and right auricular, of obscure origin, 144*

Hyperventilation, electrocardiographic changes caused by, 299*

pulmonary, influence of, on vasomotor reflexes of carotid sinus and on tonus of vasomotor center, 618*

studies on; II. Electrocardiographic changes in normal man during voluntary hyperventilation, 760*

Hypotension, hemorrhagic, and shock, study of coronary flow under conditions of, 920*

orthostatic, post-exertional, 774*

Ī

Infant and young child, salicylate intoxication in, 297

Infarction, myocardial, acute, use of anticoagulants in management of, 923* double rupture of heart following (Carroll and Cummins), 894

high T waves in earliest stage of (Dressler and Roesler), 627

unusual electrocardiographic pattern of;

(Type QT₁ C₅₋₆), 460* of interventricular septum, electrocardio-graphic pattern of, extending from anterior to posterior aspect of heart (Roesler and Dressler), 817

placental, possible etiologic significance of thrombosis of placental vein on mechanism of, and associated toxemia of pregnancy, 922*

Inferior cava flow of intravascular origin, phasic changes in, 920*

Infusion fluids and diuretics, effect of, on anuria resulting from severe burns: studies on anuria, 766*

Insufficiency, coronary, pitressin test of (Ruskin), 569

Intensity, vibrational, cardiac, changes in, in response to physiologic stress (Foulger et al.), 507

Interstitial emphysema, spontaneous, of lung simulating organic heart disease (McCabe), 729

Interventricular septum, closed, congenital pulmonary stenosis with (Auerbach and Harper, Jr.), 131

electrocardiographic pattern of infarction of, extending from anterior to posterior aspect of heart (Roesler and Dressler), 817

Intoxication, cocaine, acute, electrocardio-graphic changes resulting from (Young and Glauber), 272

Intravenous injection of nicotine, effects of, on circulation (Boyle et al.), 65 typhoid vaccine, electrocardiogram in man

during episode of chill and fever induced by (Freedberg et al.), 249 Intraventricular block in malnutrition and

vitamin B deficiency, 2974 conduction on exercise: cardiac function test, 465*

Intubation, permanent, of thoracic aorta, 768* Inulin and exogenous creatinine; renal filtration rates in pregnancy toxemia,

Iso-thioureas, guanidines, iso-ureas, and amidines, circulatory properties of, 613*

Iso-ureas, iso-thioureas, guanidines, and amidines, circulatory properties of, 613*

Khellin, therapeutic uses of, 613*

Kidneys, polycystic, infected, paracolon ba-cillus endocarditis of pulmonic valve secondary to, 766

Kine-densigraphy, registration of pulsations of lung parenchyma and cardio-vascular system by, 758*

Kunzendorf, coronary arteritis with fatal thrombosis due to Salmonella choleraesuis variety (Barnett and Zimmerman), 441

Labor, air embolism during, 768*

obstetric, physiologic changes during and after (Brown et al.), 311

Lanatoside C, digoxin, digitoxin, and, purified digitalis glycosides, comparative study on use of, for management of ambulatory patients with con-gestive heart failure (Batterman and DeGraff), 663

in treatment of persistent paroxysmal auricular tachycardia (Weisberger and Feil), 871

Leads, precordial, multiple, normal variations in (Myers et al.), 785

V₁ and V₂, precordial, on significance of M-shaped complex in, 930*

Leg ulcers, vascular, surgical management of,

Levocardiogram, dextrocardiogram and, concept of, observations on changes in ventricular complexes produced by bundle branch block with special reference to hypothesis of electrical axis and (Wolferth and Livezey), 1

Ligation of vena cava, critical evaluation based on study of 212 cases, 456*

Liver disease, effect of circulatory factors on bromsulphalein test in, 622*

dysfunction in rheumatic heart disease, 622* isolated, effect of perfusion through, on prothrombin activity of blood from normal and dicumarol treated rats, 768*

Low frequency, critically damped ballistocardiograph, and method of right atrial catheterization, studies with; cardiac output in man, 619*

Lung, roentgen diagnosis of arteriovenous aneurysm of, 145* spontaneous interstitial emphysema of, simu-

spontaneous interstitial emphysema of, simulating organic heart disease (Mc-Cabe), 729

Lungs as blood depots (V); functional state of vascular system in pulmonary tuberculosis, 294*

disseminated ossified nodules in, associated with mitral stenosis, 774*

influence of alterations of bloodflow through lesser circulation upon volume and elasticity of, 294*

micronodular and reticulated appearance of, during acute broncho pulmonary infection in patient with mitral disease, 914*

Lusteroid tubes, coagulation of blood in: study of normal persons and patients with arterial or venous thrombosis (Kadish), 212

study of patients receiving dicumarol (Kadish), 225 Lymphography and elephantiasis, 914*

M

Malnutrition and vitamin B deficiency, intraventricular block in, 297*

Man, effect of cyanide on electrocardiogram of (Wexler et al.), 163

Manifestations, benign, shrapnel wound of heart with (Silverman), 419

Menopausal hypertension, 468*
Mercurial diuretics, digitaloids and, employed in cardiology, thromboplastic properties of, 458*

tetany following, 921*
Metastasis, cardiac, reticulum cell sarcoma
with (Brick and Greenfield), 599
Miocardico, infarto, forme cliniche antipiche
dell, 780 (B. Rev.)

Mitral disease, micronodular and reticulated appearance of lungs during acute broncho pulmonary infection in patient with, 914*

orifice, intrusion of aortic root into, in hypertensive disease; radiologic observations on living persons (Windholz and Grayson), 180 Mitral Disease-Cont'd

stenosis and pulmonary tuberculosis, 773* in patients who survived age of fifty, study of, 928*

valve, congenital muscular cord bridging walls of auricle above center of: asymptomatic congenital anomaly of heart (McNamara et al.), 288

disease, rheumatic, without cardiac enlargement, 617*

Monoplegia following carotid sinus pressure in aged, 722*

Motion, heart and great vessel, interpreting electrokymogram of (Boone et al.), 560

M-shaped complex, on significance of, in precordial Leads V₁ and V₂, 930*

Muscle contusion, experimental traumatic shock produced by, with note on effects of bullet wounds, 465*

striated, variations of amount of cytochrome-C in myocardium and in, in human pathology, 917*

Muscular cord, congenital, bridging walls of auricle above center of mitral valve: asymptomatic congenital anomaly of heart (McNamara et al.), 288

Myasthenia gravis, roentgenkymographic study of heart in, 461*

Myocardial epinephrine-sympathin concentration and heart rate (nitroglycerine, papaverine, priscol, dibenamine hydrochloride), drug action upon, 763*

infarction, blood pressure studies in 100 cases of coronary occlusion with, 298* double rupture of heart following (Carroll and Cummins), 894

high T waves in earliest stage of (Dressler and Roesler), 627

Myocarditis associated with acute nasopharyngitis and acute tonsillitis (Gore and Saphir), 831 chronic isolated, 143*

chronic isolated, 143* (Gore and Saphir), 827 nonspecific, 931*

toxic, cutaneous diphtheria with, 144*

Myocardium, tuberculoma of (Rauchwerger and Rogers), 280 variations of amount of cytochrome-C in,

variations of amount of cytochrome-C in, and in striated muscle in human pathology, 917*

Myxoma, primary, of left ventricle with embolic occlusion of abdominal aorta and renal arteries, 466*

N

Nasopharyngitis, acute, and acute tonsillitis, myocarditis associated with (Gore and Saphir), 831

Nephrectomy for hypertension with unilateral renal disease, 456*

Nervous, physical and, factors, in experimental hypertension, 302*

Neurocirculatory asthenia, anxiety neurosis, or effort syndrome, electrocardio-gram in (White et al.), 390

effort syndrome, or anxiety neurosis heart size in (Carlotti et al.), 552

Neurosis, anxiety, heart size in neurocirculatory asthenia, effort syndrome, or (Carlotti et al.), 552

neurocirculatory asthenia, or effort syndrome, electrocardiogram in (White et al.), 390

Nicotine, effects of intravenous injection of,

on circulation (Boyle et al.), 65
Nodal premature systoles, A-V, (nonconducted), blocked, imitating first and second degree A-V block (Langendorf and Mehlman), 500

Nodules, clinical and histopathological study of, in various rheumatic diseases, 767*

rheumatic, in children, 294*

Nongangrenous frostbite of feet (Holman and Pierce), 101

Nutritional state, general, bearing of, on atherosclerosis, 461*

Obliterans, thromboangiitis, cerebral, 763* Obstetric labor, physiologic changes in circulation during and after (Brown et al.), 311

Organic heart disease, spontaneous interstitial emphysema of lung simulating (McCabe), 729

Organisms highly resistant to penicillin, treatment of subacute bacterial endocarditis due to (Grossman et al.), 592

Orifice, mitral, intrusion of aortic root into, in hypertensive disease; radiologic observations on living persons (Windholz and Grayson), 180

Orthostatic hypotension, post-exertional, 774* Osteoarthropathy, hypertrophic, secondary, in congenital heart disease (Means and Brown), 262

Osteoporosis occurring during potassium thio-cyanate therapy for hypertensive disease, 932*

Para-aminobenzoic acid, effect of oral administration of, on concentration of salicylates in blood, 301*

Parenchyma, lung, registration of pulsations of, and cardiovascular system by Kine-densigraphy, 758

Paroxysmal auricular tachycardia of unusual type (Gendel), 722 persistent, lanatoside C in treatment of (Weisberger and Feil), 871

diaphragmatic flutter with symptoms suggesting coronary thrombosis (Moore and Schoff), 889

tachycardia, ventricular, auricular fibrilla-tion with aberration simulating (Gouaux and Ashman), 366 inhibition of, by atropine (Wilburne et al.), 860

Patent ductus arteriosus, circulatory corpuscle and blood volume in case of, before and after ligation, 916*

clinical features of, with special reference to cardiac murmurs, 6234 effect of, on body growth, 299*

Pattern, electrocardiographic, of infarction of interventricular septum, extending from anterior to posterior aspect of heart (Roesler and Dressler), 817

Penicillin and dicumarol, experiences with, in treatment of subacute baterial endocarditis, 300* for scarlet fever, 616*

in beeswax-peanut oil, treatment of subacute bacterial endocarditis with: gluteal abscesses and rupture of (Kennedy and Seed), 906 spleen

intra-arterial, in surgical treatment of infections of extremities, 927*

method of determining effective therapeutic level in treatment of subacute bacterial endocarditis with (Schlichter and MacLean), 209

prophylaxis in acute rheumatism, 297*

therapy of scarlet fever, 622* of subacute bacterial endocarditis, 765* treatment of subacute bacterial endocarditis,

147 due to organisms highly resistant to (Grossman et al.), 592

with, 294*

Pericarditis, benign, acute, 621*

Peripheral vascular disease, tetra-ethyl-ammonium as adjunct in treatment of, and other painful states, 929*
use of radioactive sodium in study of,
624*, 765*
venous thrombosis: preventive measures and

treatment, 766*

Pharmacodynamic reactions, paradoxical, special form of essential hypertension with, 917*

Pheochromocytomas of suprarenal, cli-picture and treatment of, 913

Phlebitis, thrombophlebitis, and thrombosis, ambulatory treatment of, with compression bandages, 932*

Phonocardiography, calibrated, gallop rhythm in children studied by means of, 465*

Physical and nervous factors in experimental hypertension, 302*

Physiologic stress, changes in cardiac vibra-tional intensity in response to (Foulger et al.), 507

Pitressin test of coronary insufficiency (Ruskin), 569

Pituitary gland, indications for irradiation of, in patients with arterial hypertension, 612*

Pleura, dissecting aneurysm with survival for three months after rupture into,

Pneumonectomy, follow-up study of cardio-pulmonary function in four young individuals after, 616*

Pneumonia, rheumatic, 303*, 462*

Pneumothorax, artificial, treatment with prolonged inhalation of oxygen, cere-bral air embolism following, 923*

Poliomyelitis, vasomotor disturbances in, with special reference to treatment with paravertebral sympathetic block, 770*

Postural changes, respiration, and pressure, variations of cardiac pain caused by,

Potassium thiocyanate and other drugs in treatment of essential hypertension, comparative study of (Ruskin and McKinley), 691

hypertensive headache treated with, 614 therapy for hypertensive disease, osteoporosis occurring during, 932*

P-Q interval, contribution to study of electrocardiographic abnormalities of, 915*

Precordial leads, multiple, normal variations in (Myers et al.), 785

Pregnancy and hypertensive disease, study of inter-action of, 924*

in patient with hypertensive disease, 918* possible etiologic significance of thrombosis of placental vein on mechanism of placental infarction and associated toxemia of, 922*

subacute bacterial endocarditis during, 924* value of cold pressor test in prediction of hypertension and toxemia in, 926*

Pressure, variations of cardiac pain caused by respiration, postural changes, and, 767

Prostigmine, anticholinesterases, eserine and di-isopropylfluorophosphate, and of atropine, influence of, on central and peripheral transmission of nervous excitation, 617*

Prothrombin activity of blood from normal and dicumarol treated rats, effect of perfusion through isolated liver on, 768*

Pulmonary arteriovenous fistulas, clinical syndrome associated with, including case report of surgical cure (Burchell and Clagett), 151

artery, aneurysm of: review of literature and report of case (Deterling, Jr., and Clagett), 471

disease, chronic, recording of right heart pressures in normal subjects and in patients with, and various types of cardio circulatory disease, 776*

edema, high oxygen concentration under normal and increased respiratory pressure in cardiac pain and in,

infarct, technique of roentgenologic demonstration of, 145*

stenosis, congenital, with closed interventricular septum Harper, Jr.), 131 (Auerbach and

Q-T and T-P intervals respectively, effect of position change on relationships of, to cycle length (R-R interval) (IV); analysis of time relationships within cardiac cycle in electorcardiograms of normal men (Schlamowitz), 702

interval and T-P interval, effect of changing heart rate upon, and their respective relationships to cycle length (R-R interval) (V): analysis of time relationships within cardiac cycle in electrocardiograms of normal men (Schlamowitz), 878

Radioactive sodium, use of, in study of peri-pheral vascular disease, 624,* 765* Radio-electrokymography, 758*

Radiographic demonstration of increase in heart volume after ingestion of litre of water, 921*

Radiologic observations on living persons; intrusion of aortic root into mitral orifice in hypertensive disease (Windholz and Grayson), 180

Reactivity, increased, caused by adrenalin, 295*

Refractory phase, normal and pathological aspects of conduction during, 618* Renal disease, unilateral, naphrectomy for

hypertension with, 456* Resistance, capillary, low, diseases associated

with (Brown), 241 Respiration, postural changes, and pressure, variations of cardiac pain caused by, 767*

Respiratory centers, cardiovascular and in-fluence of arterial work and pressure on activity of, 618* distress, circulatory and, from extreme posi-

tions on operating table, 7751

Reticulum cell sarcoma with cardiac metastasis (Brick and Greenfield), 599

Rheumatic carditis, acute, daily changing picture in case of (Weintraub and Bishop, Jr.), 284

diseases, various, clinical and histopath-ological study of nodules in, 767* fever, failure of massive salicylate therapy

to suppress inflammatory reaction in, 778*

following athletic trauma, 762* observation concerning hands of patients with, 762*

heart disease, statistical survey of one hun-dred seventeen deaths due to (II); heart disease in South (Holoubek and Holoubek), 709

mitral valve disease without cardiac enlargement, 617*

nodules in children, 294* pneumonia, 303,* 462*

reaction, mild, in Coast Guard recruits, 298* Rheumatism, acute, penicillin prophylaxis in, 297*

Roentgen and cardiac manifestations of funnel chest, 459*

diagnosis of arteriovenous aneurysm of lung, 145*

Roentgenkymographic study of heart in myasthenia gravis, 461*

Roentgenologic demonstration of pulmonary infarct, technique of, 145* diagnoses of coarctation of aorta, 620*

Rupture of aortic root or sinus of Valsalva aneurysm into right atrium, syndrome of (Herrmann and Schofield), 87

spontaneous, of heart, on case of, with long survival, 761*

Rutin, some pharmacological properties of, 932*

S

Salicylate intoxication in infant and young child, 297*

therapy, massive, failure of, to supress inflammatory reaction in rheumatic fever, 778*

Salicylates in blood, effect of oral administration of para-aminobenzoic acid on concentration of, 301*

Salmonella choleraesuis variety Kunzendorf, coronary arteritis with fatal thrombosis due to (Barnett and Zimmerman), 441

Salt (sodium), diet low in, in congestive heart failure, 149*

Sangue, la velocita della cozzente del, nella terapia, 305 (B. Rev.)

Sarcoma, reticulum cell, with cardiac metastasis (Brick and Greenfield), 599

Scarlet fever, pencillin for, 616* therapy of, 622*

Sclerosis, coronary, xanthoma tuberosum, aortic stenosis, and angina pectoris, 776*

tuberous, with congenital tumors of heart and kidney, 292*

Septum, interventricular, closed, congenital pulmonary stenosis with (Auerbach and Harper, Jr.), 131

electrocardiographic pattern of infarction of, extending from anterior to posterior aspect of heart (Roesler and Dressler), 817

rupture of chronic fibrous aneurysm of, 148*

Shock, chronic problem of reduced blood volume in chronically ill patient, 926* study of coronary flow under conditions of

hemorrhagic hypotension and, 920* traumatic, experimental, mechanism of prolonged fluorescein circulation time in, 466*

produced by muscle contusion with note on effects of bullet wounds, 465*

Shrapnel wound of heart with benign manifestations (Silverman), 419

Sinus, carotid, influence of pulmonary hyperventilation on vasomotor reflexes of, and on tonus of vasomotor center. 618*

of Valsalva aneurysm, syndrome of rupture of aortic root or, into right atrium (Herrmann and Schofield), 87

Sodium caprylate, cardiovascular effects of, in cat, 769*

South, heart disease in; II. Statistical survey of one hundred seventeen deaths due to rheumatic heart disease (Holoubek and Holoubek), 709

 Analysis of two hundred seventeen deaths due to arteriosclerotic heart disease (Holoubek and Holoubek), 715

Spine, aneurysmal dilation of left auricle with erosion of, 760*

Splanchnicectomy, supradiaphragmatic, bilateral, results of, for arterial hypertension, 619*

Spleen, gluteal abscesses and rupture of: treatment of subacute bacterial endocarditis with penicillin in beeswax-peanut oil (Kennedy and Seed). 906

Seed), 906 S-T segment and T wave, observations on significance of changes of, 293*

Stab wounds, gunshot and, of heart, electrocardiographic studies of (Middleton), 899

Stenosis, aortic, xanthoma tuberosum, coronary sclerosis, and angina pectoris, 777* mitral, disseminated ossified nodules in lyans associated with 774*

lungs associated with, 774*
pulmonary, congenital, with closed interventricular septum (Auerbach and Harper, Jr.), 131

Streptococcus s.b.e., clinical manifestations of subacute bacterial endocarditis caused by, 291*

Stress, physiologic, changes in cardiac vibrational intensity in response to (Foulger et al.), 507

Strophantines, digitale et; pharmacodynamie therapeutique, 781 (B. Rev.) Suprarenal, clinical picture and treatment

of pheochromocytomas of, 913* Surgical treatment of angina pectoris, anatomic data regarding, 624*

Sympamina, Veritol, Sympatol: clinical and experimental studies of sympathomimetic compounds, 464*

Sympathectomy, dorso-lumbar, considerations on surgical treatment of essential hypertension by, 931*

for sequelae of trench feet, experiences with, 767*

in trench foot, 463*

lumbodorsal, and ganglionectomy, clinical studies of pharmacologic effects of tetraethyl ammonium chloride in hypertensive persons made in attempt to select patients suitable for, 771*

thoracolumbar, extensive combined, in hypertension, 775*

Sympathetic block, paravertebral, vasomotor disturbances in poliomyelitis, with special reference to treatment with paravertebral sympathetic block, 770*

Sympatol, Veritol, Sympamina: clinical and experimental studies of sympathomimetic compounds, 464

Syncope and bundle branch block, 914*

Syndrome, Ayerza's, circulatory adaptations in,-black cardiacs (Taquini et al.),

clinical, associated with pulmonary arteriovenous fistulas, including case report of surgical cure (Burchell and Clagett), 151

effort, electrocardiogram in neurocirculatory asthenia, anxiety neurosis, or (White et al.), 390

neurocirculatory asthenia, or anxiety neurosis, heart size in (Carlotti et al.), 552

of rupture of aortic root or sinus of Valsalva aneurysm into right atrium (Herrmann and Schofield), 87

Wolff-Parkinson-White, voluntary accelera-tion of heart in subject showing (Feil et al.), 334

Syphilis, early, electrocardiographic changes in (Steiger and Edeiken), 674

premature, nodal, A-V, (noncon-Systoles, ducted), blocked, imitating first and second degree A-V block (Langendorf and Mehlman), 500

T

T₁ and T₂, relations of (Goldberger), 395 T, ondas, significado de algunas akteraciones de, 764*

T₃, relations of T₁ and (Goldberger), 395

T wave, observations on significance of changes of S-T segment and, 293*

waves, high, in earliest stage of myocardial infarction (Dressler and Roesler), 627

influence of autonomic drugs on, in exercise electrocardiogram, 147*

Tachycardia, auricular, paroxysmal, of unusual type (Gendel), 722 persistent, lanatoside C in treatment of

(Weisberger and Feil), 871

paroxysmal, ventricular, auricular fibrilla-tion with aberration simulating (Gouaux and Ashman), 366

supraventricular, auricular fibrillation and, in man, effect of atabrine on, 302* ventricular, paroxysmal, inhibition of, by

atropine (Wilburne et al.), 860 with acute left ventricular failure in patient with no evidence of organic heart disease, 926*

Tetany following mercurial diuresis, 921*

Tetra-ethyl-ammonium as adjunct in treatment of peripheral vascular disease, and other painful states, 929*

Tetraethyl ammonium chloride, clinical studies of pharmacologic effects of, in hypertensive persons made in attempt to select patients suitable for lumbodorsal sympathectomy and ganglionectomy, 771*

Tetraethylammonium, effects of blockade of autonomic ganglia in man with,

Tetralogy of Fallot, results of preoperative studies in patients with (II); physiological studies in congenital heart disease, 615*

Therapeutic level, effective, method of determining, in treatment of subacute bacterial endocarditis with penicillin (Schlichter and MacLean), 209

Thiamine circulation time, 296*

Thiocyanate, potassium, and other drugs in treatment of essential hypertension, comparative study of (Ruskin and McKinley), 691

Thiouracil, cholesterol and, atherosclerosis and arteriosclerosis in dogs following ingestion of, 296*

in angina pectoris, 148* 2-Thiouracil in heart failure and in angina

pectoris, 460* Thoracic aorta, descending, dysphagia caused by, aortic aneurysm treated by ligation of, and forward displace-ment of esophagus by forming new hiatus, 293*

Thromboangiitis obliterans, cerebral, 763*

Thromboembolism, genesis of, coagulation thrombi in segments of artery and vein in dogs and, 769*

ligation of inferior vena cava in, 770*

Thrombophlebitis on medical service of General Hospital, 300*

phlebitis, and thrombosis, ambulatory treatment of, with compression bandages, 932*

septic, ligation of inferior vena cava for, 772* Thrombosis, ambulatory treatment of phlebitis, thrombophlebitis, and, with compression bandages, 932*

arterial or venous, study of normal persons and patients with: coagulation of blood in lusteroid tubes (Kadish), 212

coronary, paroxysmal diaphragmatic flutter with symptoms suggesting (Moore and Schoff), 889

fatal, coronary arteritis with, due to Salmonella choleraesuis variety Kun-zundorf (Barnett and Zimmerman), 441

of placental vein, possible etiologic significance of, on mechanism of placental infarction and associated toxemia of pregnancy, 922*

venous, intravascular, evaluation of pul-monary embolism following, 773* monary embolism following, 773* peripheral: preventive measures and treatment, 766*

Thyroidism, mixed, 614*

Thyrotoxicosis, induced, cardiovascular manifestations of, 929*

Time relationships within cardiac cycle in electrocardiograms of normal men, analysis of; IV. Effect of position change on relationships of Q-T and P-T intervals respectively to cycle length (R-R interval) (Schla-

mowitz), 702
Effect of changing heart rate upon Q-T interval and T-P interval and their respective relationships cycle length (R-R interval) (Schla-

mowitz), 878

Tobacco angina (Bryant and Wood, Jr.), 20 a-Tocopherol phosphate, digitoxin, and certain compounds related to latter, effect of, on cardiac metabolism in vitro,

Tonsillitis, acute, myocarditis associated with acute nasopharyngitis and (Gore

and Saphir), 831

Toxemia, associated, of pregnancy, possible etiologic significance of thrombosis of placental vein on mechanism of placental infarction and, 922*

hypertension and, in pregnancy, value of cold pressor test in prediction of, 921*

pregnancy, renal filtration rates in; inulin and exogenous creatinine, 775*

T-P interval, effect of changing heart rate upon Q-T interval and, and their respective relationships to cycle length (R-R interval) (V); analysis of time relationships within cardiac cycle in electrocardiograms of normal men (Schlamowitz), 878

Q-T and, intervals respectively, effect of position changes on relationships of, to cycle length (R-R interval) (IV); analysis of time relationships within cardiac cycle in electrocardiograms of normal men (Schlamo-

witz), 702 Tracer substances, fluorescent, fractional circulation times using (Winsor et al.), 80

Trauma, athletic, rheumatic fever following, 762*

dissecting aneurysm of aorta related to, 916* Trench feet, experiences with sympathectomy for sequelae of, 767*

foot, sympathectomy in, 463* Trichinosis, electrocardiographic study of one hundred fourteen consecutive cases of (Solarz), 230

Tricuspid valve disease, diagnosis of (Aceves and Carral), 115

Truncus arteriosus communis persistens 292* Tuberculoma of myocardium (Rauchwerger and Rogers), 280

Tuberculosis, pulmonary, functional state of vascular system in; V. Lungs as blood depots, 294* mitral stenosis and, 773*

Tuberosum, xanthoma, aortic stenosis, coronary sclerosis, and angina pectoris,

adrenal, chromaffin, electrocardio-graphic changes in paroxysmal Tumor, hypertension due to, 916*

functioning, of adrenal medulla, insensitivity to epinephrine in patient with, 295*

(pheochromocytoma), containing 2,300 milligrams of adrenalin, adrenalin producing, 144*

congenital, of heart and kidney, Tumors, tuberous sclerosis with, 292*

Typhoid vaccine, intravenous, electrocardiogram in man during episode of chill and fever induced by (Freedberg et al.), 249

Ulcers, leg, vascular, surgical management of, 923*

Vaccine, typhoid, intravenous, electrocardiogram in man during episode of chill and fever induced by (Freed-

berg et al.), 249 experiment, circulatory effects of three modifications of (Rushmer), Valsalva

399

sinus of, aortic root or, aneurysm, syndrome of rupture of, into right atrium (Herrmann and Schofield), 87

Valve, mitral, congenital muscular cord bridging walls of auricle above center of: asymptomatic congenital anomaly of heart (McNamara et al.), 288 tricuspid, disease, diagnosis of (Aceves and

Carral), 115

Variations in first heart sound in complete A-V block (Beard and Decherd, Jr.), 809 normal, in multiple precordial leads (Myers

et al.), 785

Vascular disorders, peripheral, elaboration of histamine in vivo in treatment of, 612

system, functional state of, in pulmonary tuberculosis; depots, 294* V. Lungs as blood

Vasomotor disturbances in poliomyelitis, with special reference to treatment with paravertebral sympathetic block, 770*

reflexes of carotid sinus, influence of pulmonary hyperventilation on, and on tonus of vasomotor center, 618*

Vein, coagulation thrombi in segments of artery and, in dogs and genesis of throm-boembolism, 769*

placental, possible etiologic significance of thrombosis of, on mechanism of placental infarction and associated

toxemia of pregnancy, 922* Veins, superficial, peripheral, adequate, method of rapid transfusion into femoral vessels in patients without, 927*

Velocita della cozzente del sangue nella terapia, 305 (B. Rev.)

Vena cava, inferior, ligation of, 772*

ligation of, for septic thrombophlebitis, 772*

ligation of, in thromboembolism, 770* massive hydropericardium with compression and angulation of (Greisman et al.), 447

ligation of—critical evaluation based on study of 22 cases, 456*

Venosa, pressione, registrazione grafica della, 776*

Venous, arterial or, thrombosis, study of normal persons and patients with: coagulation of blood in lusteroid tubes (Kadish), 212

pressure, on pathological variations of, 913*

Ventricle right, effect of drugs on contractile force of section of, under conditions of intact circulations, 773*

Ventricular complexes produced by bundle branch block with special reference to hypothesis of electrical axis and concept of dextrocardiogram and levocardiogram, observations on changes in (Wolferth and Livezey), 1

failure, left, acute, paroxysmal ventricular tachycardia with, in patient with no evidence of organic heart disease, 926*

paroxysmal tachycardia, auricular fibrillation with aberration simulating (Gouaux and Ashman), 366

right, and right auricular hypertrophy of obscure origin, 144*

tachycardia, paroxysmal, inhibition of, by atropine (Wilburne et al.), 860

Veratridine, receptor areas in coronary arteries and elsewhere as revealed by use of (VII); studies on veratrum alkaloids, 769*

Veratrum alkaloids, studies on; VII. Receptor areas in coronary arteries and elsewhere as revealed by use of veratridine, 769*

Veritol, Sympamina, Sympatol: clinical and experimental studies of sympathomimetic compounds, 464*

Vertebral metastasis, primary fibrosarcoma of heart with, 467*

Vibrational intensity, cardiac, changes in, in response to physiologic stress (Foulger et al.), 507

Vitamin B deficiency, malnutrition and, intraventricular block in, 297*

W

Wolff-Parkinson-White syndrome, voluntary acceleration of heart in subject showing (Feil et al.), 334

Wound, shrapnel, of heart, with benign manifestations (Silverman), 419

Wounds, gunshot and stab, of heart, electrocardiographic studies, of (Middleton), 899

X

X-rays, electrocardiograms obtained from precordial positions defined by, 758*

Y

Younger age groups, complete heart block in (Crawford and Di Gregorio), 540

